

FILE COVERS 1907 - 10 Aug 2006 VOL 145 ISS 7
FILE LAST UPDATED: 9 Aug 2006 (20060809/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate
substance identification.

=> d all fhitr 133 tot

L33 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2006 ACS on STN
AN 2004:287803 HCAPLUS
DN 140:310272
ED Entered STN: 08 Apr 2004
TI Process for the hydroformylation of an ethylenically unsaturated compound
IN Drent, Eit; Van Ginkel, Roelof; Jager, Willem
Wabe
PA Shell Internationale Research Maatschappij B.V., Neth.
SO PCT Int. Appl., 28 pp.
CODEN: PIXXD2
DT Patent
LA English
IC ICM B01J-0031/24
ICS B01J-0027/08; B01J-0031/02; C07F-0009/6568; C07F-0015/00;
C07C-0045/50
CC 67-1 (Catalysis, Reaction Kinetics, and Inorganic Reaction Mechanisms)
Section cross-reference(s): 23
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO2004028689	A2	20040408	2003WO-EP50654	20030924 <--
	WO2004028689	A3	20040729		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA---	2500095	AA	20040408	2003CA-2500095	20030924 <--
AU2003299066	A1	20040419	2003AU-0299066		20030924 <--
US2004167362	A1	20040826	2003US-0670105		20030924 <--
EP---	1542798	A2	20050622	2003EP-0798198	20030924 <--
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
CN---	1684769	A	20051019	2003CN-0823006	20030924 <--
JP2006500415	T2	20060105	2004JP-0539074		20030924 <--
ZA2005002080	A	20050912	2005ZA-0002080		20050311 <--
PRAI	2002EP-0256696	A	20020926	<--	
	2003WO-EP50654	W	20030924		

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
WO 2004028689	ICM	B01J-0031/24
	ICS	B01J-0027/08; B01J-0031/02; C07F-0009/6568; C07F-0015/00; C07C-0045/50
	IPCI	B01J0031-24 [ICM,7]; B01J0031-16 [ICM,7,C*]; B01J0027-08 [ICS,7]; B01J0027-06 [ICS,7,C*]; B01J0031-02 [ICS,7]; C07F0009-6568 [ICS,7]; C07F0009-00 [ICS,7,C*]; C07F0015-00 [ICS,7]; C07C0045-50 [ICS,7]; C07C0045-00 [ICS,7,C*]
	IPCR	B01J0031-16 [I,C*]; B01J0031-24 [I,A]; B01J0031-26

noble jarrell 10/08/2006

[N,C*]; B01J0031-28 [N,A]; C07C0045-00 [I,C*];
C07C0045-50 [I,A]; C07C0067-00 [I,C*]; C07C0067-347
[I,A]; C07F0009-00 [I,C*]; C07F0009-6568 [I,A]
ECLA B01J031/24; C07C045/50; C07C067/347+69/716;
C07C067/347+69/675; C07F009/6568C
CA---2500095 IPCI B01J0031-24 [ICM,7]; B01J0031-16 [ICM,7,C*];
C07F0015-00 [ICS,7]; B01J0031-02 [ICS,7]; B01J0027-08
[ICS,7]; B01J0027-06 [ICS,7,C*]; C07C0045-50 [ICS,7];
C07C0045-00 [ICS,7,C*]; C07F0009-6568 [ICS,7];
C07F0009-00 [ICS,7,C*]
IPCR B01J0031-16 [I,C*]; B01J0031-24 [I,A]; B01J0031-26
[N,C*]; B01J0031-28 [N,A]; C07C0045-00 [I,C*];
C07C0045-50 [I,A]; C07C0067-00 [I,C*]; C07C0067-347
[I,A]; C07F0009-00 [I,C*]; C07F0009-6568 [I,A]
ECLA B01J031/24; C07C045/50; C07C067/347+69/675;
C07C067/347+69/716; C07F009/6568C
AU2003299066 IPCI B01J0031-24 [ICM,7]; B01J0031-16 [ICM,7,C*];
B01J0027-08 [ICS,7]; B01J0027-06 [ICS,7,C*];
B01J0031-02 [ICS,7]; C07F0009-6568 [ICS,7]; C07F0009-00
[ICS,7,C*]; C07F0015-00 [ICS,7]; C07C0045-50 [ICS,7];
C07C0045-00 [ICS,7,C*]
IPCR B01J0031-16 [I,C*]; B01J0031-24 [I,A]; B01J0031-26
[N,C*]; B01J0031-28 [N,A]; C07C0045-00 [I,C*];
C07C0045-50 [I,A]; C07C0067-00 [I,C*]; C07C0067-347
[I,A]; C07F0009-00 [I,C*]; C07F0009-6568 [I,A]
US2004167362 IPCI C07C0045-49 [ICM,7]; C07C0045-00 [ICM,7,C*]
IPCR B01J0031-16 [I,C*]; B01J0031-24 [I,A]; B01J0031-26
[N,C*]; B01J0031-28 [N,A]; C07C0045-00 [I,C*];
C07C0045-50 [I,A]; C07C0067-00 [I,C*]; C07C0067-347
[I,A]; C07F0009-00 [I,C*]; C07F0009-6568 [I,A]
NCL 568/454.000
ECLA B01J031/24; C07C045/50; C07C067/347+69/675;
C07C067/347+69/716; C07F009/6568C
EP---1542798 IPCI B01J0031-24 [ICM,7]; B01J0031-16 [ICM,7,C*];
B01J0027-08 [ICS,7]; B01J0027-06 [ICS,7,C*];
B01J0031-02 [ICS,7]; C07F0009-6568 [ICS,7]; C07F0009-00
[ICS,7,C*]; C07F0015-00 [ICS,7]; C07C0045-50 [ICS,7];
C07C0045-00 [ICS,7,C*]
IPCR B01J0027-06 [I,C*]; B01J0027-08 [I,A]; B01J0031-02
[I,A]; B01J0031-02 [I,C*]; B01J0031-16 [I,C*];
B01J0031-24 [I,A]; C07C0045-00 [I,C*]; C07C0045-50
[I,A]; C07F0009-00 [I,C*]; C07F0009-6568 [I,A];
C07F0015-00 [I,A]; C07F0015-00 [I,C*]
CN---1684769 IPCI B01J0031-24 [ICM,7]; B01J0031-16 [ICM,7,C*];
B01J0027-08 [ICS,7]; B01J0027-06 [ICS,7,C*];
B01J0031-02 [ICS,7]; C07F0009-6568 [ICS,7]; C07F0009-00
[ICS,7,C*]; C07F0015-00 [ICS,7]; C07C0045-50 [ICS,7];
C07C0045-00 [ICS,7,C*]
IPCR B01J0031-16 [I,C*]; B01J0031-24 [I,A]; B01J0031-26
[N,C*]; B01J0031-28 [N,A]; C07C0045-00 [I,C*];
C07C0045-50 [I,A]; C07C0067-00 [I,C*]; C07C0067-347
[I,A]; C07F0009-00 [I,C*]; C07F0009-6568 [I,A]
JP2006500415 IPCI C07C0067-38 [I,A]; C07C0067-00 [I,C*]; B01J0031-24
[I,A]; B01J0031-16 [I,C*]; C07C0069-675 [I,A];
C07C0069-00 [I,C*]; C07B0061-00 [N,A]
FTERM 4G169/AA06; 4G169/AA08; 4G169/BA27A; 4G169/BA27B;
4G169/BC69A; 4G169/BC72A; 4G169/BC72B; 4G169/BE26A;
4G169/BE26B; 4G169/BE37A; 4G169/BE37B; 4G169/CB51;
4G169/FA01; 4H006/AA02; 4H006/AC48; 4H006/BA25;
4H006/BA35; 4H006/BA44; 4H006/BA47; 4H006/BA81;
4H006/BE20; 4H006/BE40; 4H006/BN10; 4H006/BT12;
4H039/CC30; 4H039/CL45
ZA2005002080 IPCI B01J [ICS,7]; C07C [ICS,7]; C07F [ICS,7]
IPCR B01J0031-16 [I,C*]; B01J0031-26 [N,C*]; C07C0045-00
[I,C*]; C07C0067-00 [I,C*]; C07F0009-00 [I,C*];
B01J0031-24 [I,A]; B01J0031-28 [N,A]; C07C0045-50

[I,A]; C07C0067-347 [I,A]; C07F0009-6568 [I,A]
 ECLA B01J031/24; C07C045/50; C07C067/347+69/675;
 C07C067/347+69/716; C07F009/6568C

OS MARPAT 140:310272

AB The present invention relates to a process for the hydroformylation of an optionally substituted ethylenically unsatd. compound by reaction thereof with carbon monoxide and hydrogen in the presence of a specific catalyst system. The specific catalyst system comprises (A) a source of group VIII metal cations, (B) a diphosphine ligand having the general formula X_1RX_2 , (C) an acid with $pK_a < 3$, measured in an aqueous solution at 18° or a salt derived thereof, and (D) a source of halide anions, wherein X_1 , X_2 = independently an optionally substituted cyclic group with ≥ 5 ring atoms, of which one is a phosphorus atom, and R = a bivalent optionally substituted bridging group, connected to each phosphorus atom by a sp^2 hybridized carbon atom. Furthermore some specific bidentate diphosphines used in this process are described. Thus, 1,2-dibromobenzene 9.44, 1,4-diazabicyclo[2,2,2]octane 22.4, 9-phosphabicyclo[3.3.1]nonane 13.0, and tetrakis(triphenylphosphine)palladium 2.32 g were heated at 140° to give 7.10 g (yield 50%) 1,2-bis(9-phosphabicyclo[3.3.1]nonyl)benzene, 0.40 mmol of which was mixed with methane sulfonic acid 1.0, hydrochloric acid 0.20, and palladium acetate 0.25 mmol, and 20 mL 1-octene and heated at 120° for 5 h under 20 bar carbon monoxide and 40 bar hydrogen to give an alkanol product >99, a linear alkanol product 68, and a hydrogenation product <1%.

ST process hydroformylation ethylenically unsatd compd;
 bisphosphabicyclononylbenzene ligand palladium acetate catalyst octene hydroformylation

IT Alkenes, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)
 (C11-12; hydroformylation of ethylenically unsatd. compds.)

IT Ligands

RL: CAT (Catalyst use); USES (Uses)
 (bidentate, diphosphines, hydroformylation catalyst ligand; hydroformylation of ethylenically unsatd. compds.)

IT Hydroformylation

(hydroformylation of ethylenically unsatd. compds.)

IT Group VIII elements

RL: CAT (Catalyst use); USES (Uses)
 (hydroformylation of ethylenically unsatd. compds.)

IT Catalysts

(hydroformylation; hydroformylation of ethylenically unsatd. compds.)

IT 676992-18-0 676992-19-1

RL: CAT (Catalyst use); USES (Uses)
 (hydroformylation catalyst ligand; hydroformylation of ethylenically unsatd. compds.)

IT 407578-79-4P, 9-Phosphabicyclo[3.3.1]nonane, 9,9'-(1,2-phenylene)bis- 676992-15-7P 676992-16-8P

RL: CAT (Catalyst use); IMF (Industrial manufacture); PREP (Preparation); USES (Uses)
 (hydroformylation catalyst ligand; hydroformylation of ethylenically unsatd. compds.)

IT 3375-31-3

RL: CAT (Catalyst use); USES (Uses)
 (hydroformylation of ethylenically unsatd. compds.)

IT 4547-43-7P, Hexanoic acid, 6-hydroxy-, methyl ester 167707-57-5P, Pentanoic acid, 5-hydroxy-4-methyl-, methyl ester 676992-17-9P

RL: IMF (Industrial manufacture); PREP (Preparation)
 (hydroformylation of ethylenically unsatd. compds.)

IT 111-66-0, 1-Octene 630-08-0, Carbon monoxide, reactions 818-59-7 1333-74-0, Hydrogen, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)
 (hydroformylation of ethylenically unsatd. compds.)

IT 583-53-9, 1,2-Dibromobenzene 3141-26-2, 3,4-Dibromothiophene 13887-02-0, 9-Phosphabicyclo[3.3.1]nonane 75415-78-0, 1,2-Dibromocyclopentene

RL: RCT (Reactant); RACT (Reactant or reagent)

(reactant in hydroformylation catalyst ligand preparation; hydroformylation of ethylenically unsatd. compds.)



IT 676992-18-0

RL: RCT (Reactant); RACT (Reactant or reagent)

(hydroformylation catalyst ligand; hydroformylation of ethylenically unsatd. compds.)

RN 676992-18-0 HCAPLUS

CN 9-Phosphabicyclo[3.3.1]nonane, 9,9'-(4-methyl-1,2-phenylene)bis- (9CI)
(CA INDEX NAME)



L33 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2002:295834 HCAPLUS

DN 137:108974

ED Entered STN: 21 Apr 2002

TI Teaching a palladium polymerization catalyst to mono-oxygenate olefins

AU Drent, E.; Mul, W. P.; Budzelaar, P. H. M.

CS Shell Research and Technology Centre, Amsterdam, Amsterdam, Neth.

SO Comments on Inorganic Chemistry (2002), 23(2), 127-147

CODEN: COICDZ; ISSN: 0260-3594

PB Taylor & Francis Ltd.

DT Journal

LA English

CC 22-7 (Physical Organic Chemistry)

Section cross-reference(s): 51, 67

OS CASREACT 137:108974

AB Catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions are efficient catalysts for the hydrocarbonylation of olefins. With these catalyst systems, the oxo-synthesis can be fully exploited to produce, at will, aldehydes/alcs. by hydroformylation or monoketones by hydro-acylation of olefins. The reactions described here constitute the first examples of selective formation of ketones by hydrocarbonylation of higher olefins and the first examples of Pd catalyzed hydroformylation of olefins. Variation of ligand, anion and/or solvent can be used to steer the reaction selectively towards aldehydes/ alcs., ketones or oligoketones. Non-coordinating anions and arylphosphine ligands produce primarily (oligo)ketones; increasing ligand basicity shifts selectivity towards monoketones, while increasing ligand basicity and/or increasing anion coordination strength leads to high selectivity for hydroformylation products, aldehydes and alcs. For the mechanisms of the aldehyde-producing step, we propose protonation of Pd(II)-acyl intermediates, assisted by the coordination of the anion, followed by reductive elimination of the aldehyde and heterolytic dihydrogen cleavage. For selective saturated monoketone formation we propose protonation at the Pd(II)-alkyl stage, now assisted by

APPLICANT


- chelating carbonyl coordination followed by reductive elimination of the ketone and heterolytic dihydrogen cleavage. Unsaturated ketone formation involves β -hydride elimination from the same Pd(II)-alkyl intermediates.
- ST olefin hydrocarbonylation hydroformylation palladium catalyst
- IT **Ligands**
 RL: CAT (Catalyst use); USES (Uses)
 (bidentate phosphines; hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT **Alcohols, preparation**
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (formation under hydroformylation conditions; hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT **Addition reaction**
 Hydroaddition reaction catalysts
 (hydroacylation; hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT **Hydroformylation**
 Hydroformylation catalysts
 Regiochemistry
 Solvent effect
 (hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT **Alkenes, reactions**
 RL: CPS (Chemical process); PEP (Physical, engineering or chemical process); RCT (Reactant); PROC (Process); RACT (Reactant or reagent)
 (hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT **Aldehydes, preparation**
 Ketones, preparation
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT **Chemoselectivity**
 (hydroformylation vs. hydroacylation; hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT **Anions**
 (ligand/anion effects on catalysis; hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT **Steric effects**
 (of phosphine ligand; hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT **Carbonylation**
 Carbonylation catalysts
 (reductive; hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT **Synthesis gas**
 (selective production of ketones or aldehydes at will from olefins and syngas; hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT **Ketones, preparation**
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (α,β -unsaturated; hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly

- or non-coordinating counterions)
- IT 76-05-1, Trifluoroacetic acid, uses 104-15-4, p-Toluenesulfonic acid, uses 1493-13-6, Trifluoromethanesulfonic acid
RL: CAT (Catalyst use); USES (Uses)
(anion precursor; hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT 3375-31-3, Palladium diacetate
RL: CAT (Catalyst use); USES (Uses)
(catalyst precursor; hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT 78-84-2P, Isobutyraldehyde 7786-29-0P, α -Methyloctanal
27644-47-9P, α -Propylhexanal 27649-40-7P, α -Ethylheptanal
RL: BYP (Byproduct); PREP (Preparation)
(hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT 111-66-0, 1-Octene 115-07-1, Propene, reactions
RL: CPS (Chemical process); PEP (Physical, engineering or chemical process); RCT (Reactant); PROC (Process); RACT (Reactant or reagent)
(hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT 123-72-8P, Butanal 124-19-6P, Nonanal 7379-12-6P, 2-Methyl-3-hexanone
53252-19-0P, 2-Methyl-4-hexen-3-one 62834-80-4P, 2-Methyl-1-hexen-3-one
RL: SPN (Synthetic preparation); PREP (Preparation)
(hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- IT 6737-42-4, 1,3-Bis(diphenylphosphino)propane 121115-33-1,
1,3-Bis(di-tert-butylphosphino)propane 131285-34-2, 1,3-Bis(dibutylphosphino)propane 143540-35-6, 1,3-Bis(di-sec-butylphosphino)propane 159460-98-7, 1,2-Bis(di-sec-butylphosphino)ethane
RL: CAT (Catalyst use); USES (Uses)
(ligand; hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly or non-coordinating counterions)
- RE.CNT 18 THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS RECORD
- RE
- (1) Cornils, B; Hydroformylation, Oxo Synthesis, Roelen Reaction in New Syntheses with Carbon Monoxide 1980
 - (2) Dekker, G; J Organomet Chem 1992, V430, P357 HCAPLUS
 - (3) Drent, E; GB---2183631 1985 HCAPLUS
 - (4) Drent, E; EP---220767 1985 HCAPLUS
 - (5) Drent, E; WO---9505354 1995 HCAPLUS
 - (6) Drent, E; Chem Rev 1996, V96, P613
 - (7) Drent, E; J Organomet Chem 1991, V417, P235 HCAPLUS
 - (8) Drent, E; Pure Appl Chem 1990, V62, P661 HCAPLUS
 - (9) Evans, D; Chem Soc (A) 1968, P3133 HCAPLUS
 - (10) Roelen, O; DE---849548 1938-1952
 - (11) Roelen, O; US---2327066 1943 HCAPLUS
 - (12) Roelen, O; Chem Exp Didakt 1977, V3, P119 HCAPLUS
 - (13) Slaugh, L; US---3239569 1969 HCAPLUS
 - (14) Slaugh, L; US---3239570 1969 HCAPLUS
 - (15) Stewart, R; The Proton; Applications to Organic Chemistry in Organic Chemistry 1985, V46
 - (16) Tolman, C; Chem Rev 1977, V77, P313 HCAPLUS
 - (17) van Doorn, J; thesis, University of Amsterdam 1991
 - (18) Zuideveld, M; J Am Chem Soc 1998, V120, P7977 HCAPLUS
- IT 3375-31-3, Palladium diacetate
RL: CAT (Catalyst use); USES (Uses); RCT (Reactant); RACT (Reactant or reagent)
(catalyst precursor; hydrocarbonylation of olefins using catalyst systems consisting of a palladium(II) diphosphine complex with weakly

or non-coordinating counterions)

RN 3375-31-3 HCAPLUS

CN Acetic acid, palladium(2+) salt (8CI, 9CI) (CA INDEX NAME)



●1/2 Pd(II)

L33 ANSWER (3 OF 3) HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2001:851170 HCAPLUS

DN 135:371865

ED Entered STN: 23 Nov 2001

TI Bidentate ligands useful as carbonylation catalysts

IN Drent, Eit; Eberhard, Michael Rolf; Pringle, Paul Gerard

PA Shell Internationale Research Maatschappij BV, Neth.

SO PCT Int. Appl., 25 pp.

CODEN: PIXXD2

DT Patent

LA English

IC ICM C07F-0009/50

ICS C07F-0009/6568; C07F-0009/6571; C07C-0045/50; B01J-0031/24

CC 29-7 (Organometallic and Organometalloidal Compounds)

Section cross-reference(s): 45

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
PI	WO2001087899	A1	20011122	2001WO-EP05625	20010516	
	W:			AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM		
	RW:			GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG		
	CA---	2408862	AA	20011122	2001CA-2408862	20010516
	EP---	1282629	A1	20030212	2001EP-0940491	20010516
	EP---	1282629	B1	20040204		
	R:			AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR		
	BR2001010882	A	20030610	2001BR-0010882	20010516	
	JP2003533534	T2	20031111	2001JP-0584292	20010516	
	AT---	258936	E	20040215	2001AT-0940491	20010516
	ES---	2210170	T3	20040701	2001ES-1940491	20010516
	US2002016484	A1	20020207	2001US-0860015	20010517	
	US---	6639091	B2	20031028		
	ZA2002009309	A	20030729	2002ZA-0009309	20021115	
PRAI	2000EP-0304171	A	20000517			
	2001WO-EP05625	W	20010516			

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
WO 2001087899	ICM	C07F-0009/50
	ICS	C07F-0009/6568; C07F-0009/6571; C07C-0045/50; B01J-0031/24
	IPCI	C07F0009-50 [ICM,7]; C07F0009-6568 [ICS,7]; C07F0009-6571 [ICS,7]; C07F0009-00 [ICS,7,C*]; C07C0045-50 [ICS,7]; C07C0045-00 [ICS,7,C*];

B01J0031-24 [ICS,7]; B01J0031-16 [ICS,7,C*]
 IPCR C07C0045-00 [I,C*]; C07C0045-50 [I,A]; C07C0067-00
 [I,C*]; C07C0067-38 [I,A]; C07F0009-00 [I,C*];
 C07F0009-50 [I,A]; C07F0009-6568 [I,A]; C07F0009-6571
 [I,A]
 ECLA C07C045/50; C07F009/6568C; C07F009/6571L;
 C07C067/38+69/24; C07C067/38+69/54; C07F009/50A6
 CA---2408862 IPCI C07F0009-50 [ICM,7]; B01J0031-24 [ICS,7]; B01J0031-16
 [ICS,7,C*]; C07C0045-50 [ICS,7]; C07C0045-00
 [ICS,7,C*]; C07F0009-6568 [ICS,7]; C07F0009-6571
 [ICS,7]; C07F0009-00 [ICS,7,C*]
 EP---1282629 IPCI C07F0009-50 [ICM,7]; C07F0009-6568 [ICS,7];
 C07F0009-6571 [ICS,7]; C07F0009-00 [ICS,7,C*];
 C07C0045-50 [ICS,7]; C07C0045-00 [ICS,7,C*];
 B01J0031-24 [ICS,7]; B01J0031-16 [ICS,7,C*]
 IPCR B01J0031-16 [I,C*]; B01J0031-24 [I,A]; C07C0045-00
 [I,C*]; C07C0045-50 [I,A]; C07F0009-00 [I,C*];
 C07F0009-50 [I,A]; C07F0009-6568 [I,A]; C07F0009-6571
 [I,A]
 BR2001010882 IPCI C07F0009-50 [ICM,7]; C07F0009-6568 [ICS,7];
 C07F0009-6571 [ICS,7]; C07F0009-00 [ICS,7,C*];
 C07C0045-50 [ICS,7]; C07C0045-00 [ICS,7,C*];
 B01J0031-24 [ICS,7]; B01J0031-16 [ICS,7,C*]
 IPCR C07C0045-00 [I,C*]; C07C0045-50 [I,A]; C07C0067-00
 [I,C*]; C07C0067-38 [I,A]; C07F0009-00 [I,C*];
 C07F0009-50 [I,A]; C07F0009-6568 [I,A]; C07F0009-6571
 [I,A]
 JP2003533534 IPCI C07F0009-50 [ICM,7]; C07F0009-00 [ICM,7,C*];
 B01J0031-26 [ICS,7]; C07C0029-16 [ICS,7]; C07C0029-00
 [ICS,7,C*]; C07C0031-02 [ICS,7]; C07C0031-00
 [ICS,7,C*]; C07C0045-50 [ICS,7]; C07C0045-00
 [ICS,7,C*]; C07C0047-02 [ICS,7]; C07B0061-00 [ICS,7]
 IPCR C07C0045-00 [I,C*]; C07C0045-50 [I,A]; C07C0067-00
 [I,C*]; C07C0067-38 [I,A]; C07F0009-00 [I,C*];
 C07F0009-50 [I,A]; C07F0009-6568 [I,A]; C07F0009-6571
 [I,A]
 AT---258936 IPCI C07F0009-50 [ICM,7]; C07F0009-6568 [ICS,7];
 C07F0009-6571 [ICS,7]; C07F0009-00 [ICS,7,C*];
 C07C0045-50 [ICS,7]; C07C0045-00 [ICS,7,C*];
 B01J0031-24 [ICS,7]; B01J0031-16 [ICS,7,C*]
 ES---2210170 IPCI C07F0009-50 [ICM,7]; C07F0009-6568 [ICS,7];
 C07F0009-6571 [ICS,7]; C07F0009-00 [ICS,7,C*];
 C07C0045-50 [ICS,7]; C07C0045-00 [ICS,7,C*];
 B01J0031-24 [ICS,7]; B01J0031-16 [ICS,7,C*]
 US2002016484 IPCI C07F0009-72 [ICM,7]; C07F0009-90 [ICS,7]; C07F0009-28
 [ICS,7]; C07F0009-00 [ICS,7,C*]
 IPCR C07C0045-00 [I,C*]; C07C0045-50 [I,A]; C07C0067-00
 [I,C*]; C07C0067-38 [I,A]; C07F0009-00 [I,C*];
 C07F0009-50 [I,A]; C07F0009-6568 [I,A]; C07F0009-6571
 [I,A]
 NCL 556/070.000
 ECLA C07C045/50; C07C067/38+69/54; C07C067/38+69/24;
 C07F009/50A6; C07F009/6568C; C07F009/6571L
 ZA2002009309 IPCI B01J [ICM,7]; C07C [ICS,7]; C07F [ICS,7]

OS CASREACT 135:371865; MARPAT 135:371865

AB The invention describes bidentate ligands of formula R1R2M1-R-M2R3R4,
 wherein M1 and M2 are independently P, As or Sb; R1, R2, R3 and R4
 independently represent tertiary alkyl groups, or R1 and R2 together
 and/or R3 and R4 together represent an optionally substituted bivalent
 cycloaliph. group whereby the two free valencies are linked to M1 or M2,
 and R represents a bivalent aliphatic bridging group containing from 2 to 6 atoms
 in the bridge, which is substituted with two or more substituents. Use of
 such a catalyst system in a process for the carbonylation of optionally
 substituted alkenes and alkynes by reaction with carbon monoxide and a
 coreactant is described. Thus, propene is hydroformylated by
 pressurization with carbon monoxide and hydrogen in the presence of

platinum(II) acetylacetonate and meso (R,S) 2,3-[bis(cyclooctylenephosphino)]butane to give 99% n-butyraldehyde.

ST alkene hydroformylation platinum diphosphine cocatalyst; alkanol esterification platinum palladium diphosphine cocatalyst; platinum diphosphine carbonylation cocatalyst; palladium diphosphine carbonylation cocatalyst; aldehyde prepn; ester prepn

IT Alcohols, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (aliphatic; esterification of alkanols catalyzed by platinum or palladium diphosphine cocatalysts)

IT Ligands
 RL: CAT (Catalyst use); USES (Uses)
 (bidentate; carbonylation reactions of alkenes and alkanols catalyzed by platinum or palladium diphosphine cocatalysts)

IT Esterification catalysts
 (esterification of alkanols catalyzed by platinum or palladium diphosphine cocatalysts)

IT Hydroformylation catalysts
 (hydroformylation of alkenes catalyzed by platinum diphosphine cocatalysts)

IT Alkenes, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (hydroformylation of alkenes catalyzed by platinum diphosphine cocatalysts)

IT Esterification
 (of alkanols catalyzed by platinum or palladium diphosphine cocatalysts)

IT Hydroformylation
 (of alkenes catalyzed by platinum diphosphine cocatalysts)

IT 3375-31-3 15170-57-7, Platinum acetylacetonate 153280-11-6 374557-18-3
 RL: CAT (Catalyst use); USES (Uses)
 (carbonylation reactions of alkenes and alkanols catalyzed by platinum or palladium diphosphine cocatalysts)

IT 123-72-8P, n-Butyraldehyde 141-32-2P 590-01-2P
 RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)
 (carbonylation reactions of alkenes and alkanols catalyzed by platinum or palladium diphosphine cocatalysts)

IT 71-36-3, Butanol, reactions 74-85-1, Ethene, reactions 74-86-2, Acetylene, reactions 79-09-4, Propionic acid, reactions 115-07-1, Propene, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (carbonylation reactions of alkenes and alkanols catalyzed by platinum or palladium diphosphine cocatalysts)

RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

(1) Cyanamid Canada Inc; CA---2086285 A 1994 HCAPLUS

(2) Mason, R; US---3527818 A 1970

(3) Shell Internationale Research Maatschappij BV; EP---0495547 A 1992 HCAPLUS


(4) Shell Internationale Research Maatschappij BV; WO---9505354 A 1995 HCAPLUS

(5) Shell Internationale Research Maatschappij BV; WO---9842717 A 1998 HCAPLUS

IT 3375-31-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (carbonylation reactions of alkenes and alkanols catalyzed by platinum or palladium diphosphine cocatalysts)

RN 3375-31-3 HCAPLUS

CN Acetic acid, palladium(2+) salt (8CI, 9CI) (CA INDEX NAME)




● 1/2 Pd(II)

=> d bib abs hitind hitstr retable 139 tot

L39 ANSWER 1 OF 12 HCAPLUS COPYRIGHT 2006 ACS on STN
 AN 2006:210242 HCAPLUS
 DN 144:254241
 TI Novel bis-diazaphospholane ligands for transition-metal catalyzed
 asymmetric hydroformylation and hydrocyanation
 IN Landis, Clark R.; Clark, Thomas P.; Klosin, Jerzy
 PA The Dow Chemical Company, USA; Wisconsin Alumni Research Foundation
 SO PCT Int. Appl., 34 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO2006026489	A1	20060309	2005WO-US30519	20050825
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM US2006069281 A1 20060330 2005US-0211918 20050825 PRAI 2004US-605153P P 20040827 OS MARPAT 144:254241 GI				



AB Novel bis-diazaphospholanes I [Q = optionally substituted alkyl, alkenyl, (hetero)aryl, ferrocenyl; R = carboxy-, carboxamide-, carboxyhydroxamate-alkoxy or amino-substituted (hetero)aryl cycloalkyl, alkyl; R1, R2 = H, (cyclo)alkyl, aryl, or R1-R2 form (un)substituted aryl, cycloalkyl; preferably Q = 1,2-phenylene, R = 2-carboxyphenyl] and their enantiomers were prepared by heterocyclization of diphosphine with azinodimethyldynebis-benzoic acid and phthaloyl or succinyl chloride; the ligands showed high activity and stereoselectivity in rhodium-catalyzed asym. hydroformylation of α -alkenes. In an example, racemic proligand I (1, Q = 1,2-C6H4,

R = 1,2-C₆H₄COOH, R₁-R₂ = benzo) was prepared by heterocyclization of 1,2-HOCC₆H₄CH:NN:CHC₆H₄COOH-1,2 with 1,2-C₆H₄(PH₃)₂ and phthaloyl chloride with 21% yield; compound 1 was then converted into enantiomerically pure amide (1R,3R)-I [3; R = 1,2-C₆H₄CONH-(S)-CHMeCO₂Me, Q = 1,2-C₆H₄, R₁-R₂ = benzo] by reaction with L-alanine Me ester. In another example, ligand 3 was used in asym. hydroformylation of vinyl acetate, giving (2R)-2-acetoxypromanal with 84% yield, 26.3 branched/linear ratio and 84% ee.

CC 29-7 (Organometallic and Organometalloidal Compounds)

Section cross-reference(s): 28, 45

IT Hydroformylation catalysts

(stereoselective; preparation of chiral bis-1,2,4-diazaphospholanes as ligands for rhodium-catalyzed asym. hydroformylation)

IT Alkenes, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(α-; preparation of chiral bis-1,2,4-diazaphospholane tetrakis-carboxamides as ligands for rhodium-catalyzed asym. hydroformylation)

IT 851770-13-3P

RL: CAT (Catalyst use); PRP (Properties); PUR (Purification or recovery);

SPN (Synthetic preparation); PREP (Preparation); USES (Uses)

(crystal structure; preparation of chiral bis-1,2,4-diazaphospholane tetrakis-carboxamides as ligands for rhodium-catalyzed asym. hydroformylation)

IT 7439-88-5D, Iridium, complexes 7439-89-6D, Iron,

complexes 7440-02-0D, Nickel, complexes 7440-04-2D,

Osmium, complexes 7440-05-3D, Palladium, complexes

7440-06-4D, Platinum, complexes 7440-16-6D, Rhodium,

complexes 7440-18-8D, Ruthenium, complexes 7440-48-4D,

Cobalt, complexes

RL: CAT (Catalyst use); USES (Uses)

(preparation of chiral bis-1,2,4-diazaphospholane tetrakis-carboxamides as ligands for rhodium-catalyzed asym. hydroformylation)

IT 851609-32-0P 851609-33-1P 851609-34-2P

851609-35-3P 851609-36-4P 851770-14-4P

851770-15-5P 851770-16-6P 851770-17-7P

RL: CAT (Catalyst use); PUR (Purification or recovery); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)

(preparation of chiral bis-1,2,4-diazaphospholane tetrakis-carboxamides as ligands for rhodium-catalyzed asym. hydroformylation)

IT 615257-74-4P 615538-63-1P 877176-11-9P

RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)

(preparation of chiral bis-1,2,4-diazaphospholane tetrakis-carboxamides as ligands for rhodium-catalyzed asym. hydroformylation)

IT 851609-30-8P 851609-31-9P 877081-79-3P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of chiral bis-1,2,4-diazaphospholane tetrakis-carboxamides as ligands for rhodium-catalyzed asym. hydroformylation)

IT 851770-13-3P

RL: CAT (Catalyst use); PRP (Properties); PUR (Purification or recovery);

SPN (Synthetic preparation); PREP (Preparation); USES (Uses)


(crystal structure; preparation of chiral bis-1,2,4-diazaphospholane tetrakis-carboxamides as ligands for rhodium-catalyzed asym. hydroformylation)

RN 851770-13-3 HCAPLUS


CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1S,3S)-5,10-dihydro-5,10-dioxo-1H-[1,2,4]diazaphospholo[1,2-b]phthalazine-2,1,3(3H)-trityl]]tetrakis[N-[(1S)-1-phenylethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A



PAGE 3-A



IT 7439-88-5D, Iridium, complexes 7439-89-6D, Iron, complexes 7440-02-0D, Nickel, complexes 7440-04-2D, Osmium, complexes 7440-05-3D, Palladium, complexes 7440-06-4D, Platinum, complexes 7440-16-6D, Rhodium, complexes 7440-18-8D, Ruthenium, complexes 7440-48-4D, Cobalt, complexes
 RL: CAT (Catalyst use); USES (Uses)
 (preparation of chiral bis-1,2,4-diazaphospholane tetrakis-carboxamides as ligands for rhodium-catalyzed asym. hydroformylation)

RN 7439-88-5 HCAPLUS
CN Iridium (8CI, 9CI) (CA INDEX NAME)

Ir

RN 7439-89-6 HCAPLUS
CN Iron (7CI, 8CI, 9CI) (CA INDEX NAME)

Fe

RN 7440-02-0 HCAPLUS
CN Nickel (8CI, 9CI) (CA INDEX NAME)

Ni

RN 7440-04-2 HCAPLUS
CN Osmium (8CI, 9CI) (CA INDEX NAME)

Os

RN 7440-05-3 HCAPLUS
CN Palladium (8CI, 9CI) (CA INDEX NAME)

Pd

RN 7440-06-4 HCAPLUS
CN Platinum (8CI, 9CI) (CA INDEX NAME)

Pt

RN 7440-16-6 HCAPLUS
CN Rhodium (8CI, 9CI) (CA INDEX NAME)

Rh

RN 7440-18-8 HCAPLUS
CN Ruthenium (8CI, 9CI) (CA INDEX NAME)

Ru

RN 7440-48-4 HCAPLUS
CN Cobalt (8CI, 9CI) (CA INDEX NAME)

Co

IT 851609-32-0P 851609-33-1P 851609-34-2P
851609-35-3P 851609-36-4P 851770-14-4P
851770-15-5P 851770-16-6P 851770-17-7P


RL: CAT (Catalyst use); PUR (Purification or recovery); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)
 (preparation of chiral bis-1,2,4-diazaphospholane tetrakis-carboxamides as ligands for rhodium-catalyzed asym. hydroformylation)

RN 851609-32-0 HCAPLUS


CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1R,3R)-5,10-dihydro-5,10-dioxo-1H-[1,2,4]diazaphospholo[1,2-b]phthalazine-2,1,3(3H)-triyl]]tetrakis[N-[(1S)-1-phenylethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A




PAGE 3-A




RN 851609-33-1 HCAPLUS
 CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1R,3R)-tetrahydro-5,8-dioxo-1H-[1,2,4]diazaphospholo[1,2-a]pyridazine-2,1,3(3H)-triyl]]tetrakis[N-[(1S)-1-phenylethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A



PAGE 3-A





RN 851609-34-2 HCAPLUS


CN L-Alanine, N,N',N'',N'''-[1,2-phenylenebis[(1R,3R)-5,10-dihydro-5,10-dioxo-1H-[1,2,4]diazaphospholo[1,2-b]phthalazine-2,1,3(3H)-triyl]bis(2,1-phenylenecarbonyl)]tetrakis-, tetramethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A



PAGE 3-A





RN 851609-35-3 HCAPLUS


CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1R,3R)-5,10-dihydro-5,10-dioxo-1H-[1,2,4]diazaphospholo[1,2-b]phthalazine-2,1,3(3H)-triyl]]tetrakis[N-[(1S)-1-(1-naphthalenyl)ethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A




PAGE 2-A



PAGE 3-A





PAGE 4-A




RN 851609-36-4 HCAPLUS
 CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1R,3R)-tetrahydro-5,8-dioxo-1H-[1,2,4]diazaphospholo[1,2-a]pyridazine-2,1,3(3H)-triyl)]tetrakis[N-[(1S)-1-(1-naphthalenyl)ethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



PAGE 1-A



PAGE 2-A




PAGE 3-A




RN 851770-14-4 HCAPLUS
 CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1S,3S)-tetrahydro-5,8-dioxo-1H-[1,2,4]diazaphospholo[1,2-a]pyridazine-2,1,3(3H)-triyl]]tetrakis[N-[(1S)-1-phenylethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A



PAGE 3-A





RN 851770-15-5 HCAPLUS


CN L-Alanine, N,N',N'',N'''-[1,2-phenylenebis[[[(1S,3S)-5,10-dihydro-5,10-dioxo-1H-[1,2,4]diazaphospholo[1,2-b]phthalazine-2,1,3(3H)-triyl]bis(2,1-phenylenecarbonyl)]]tetrakis-, tetramethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A



PAGE 3-A





RN 851770-16-6 HCAPLUS


CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1S,3S)-5,10-dihydro-5,10-dioxo-1H-[1,2,4]diazaphospholo[1,2-b]phthalazine-2,1,3(3H)-triy]]tetrakis[N-[(1S)-1-(1-naphthalenyl)ethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A




PAGE 2-A



PAGE 3-A





PAGE 4-A




RN 851770-17-7 HCAPLUS
 CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1S,3S)-tetrahydro-5,8-dioxo-1H-[1,2,4]diazaphospholo[1,2-a]pyridazine-2,1,3(3H)-triy]]tetrakis[N-[(1S)-1-(1-naphthalenyl)ethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



PAGE 1-A



PAGE 2-A



PAGE 3-A



IT 877176-11-9P

RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation);

USES (Uses)


(preparation of chiral bis-1,2,4-diazaphospholane tetrakis-carboxamides as ligands for rhodium-catalyzed asym. hydroformylation)

RN 877176-11-9 HCAPLUS


CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[tetrahydro-5,8-dioxo-1H-[1,2,4]diazaphospholo[1,2-a]pyridazine-2,1,3(3H)-triyl]]tetrakis[N-[(1S)-1-phenylethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A



PAGE 3-A




IT 851609-30-8P 851609-31-9P 877081-79-3P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation of chiral bis-1,2,4-diazaphospholane tetrakis-carboxamides as
 ligands for rhodium-catalyzed asym. hydroformylation)
 RN 851609-30-8 HCAPLUS
 CN Benzoic acid, 2,2',2'',2'''-[1,2-phenylenebis[(1R,3R)-5,10-dihydro-5,10-
 dioxo-1H-[1,2,4]diazaphospholo[1,2-b]phthalazine-2,1,3(3H)-triyl]]tetrakis-


, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

PAGE 1-A



PAGE 2-A





RN 851609-31-9 HCAPLUS


CN Benzoic acid, 2,2',2'',2'''-[1,2-phenylenebis[(1R,3R)-tetrahydro-5,8-dioxo-1H-[1,2,4]diazaphospholo[1,2-a]pyridazine-2,1,3(3H)-triyll]]tetrakis-, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


PAGE 1-A



PAGE 2-A





PAGE 3-A




RN 877081-79-3 HCAPLUS
 CN Benzoic acid, 2,2',2'',2'''-[1,2-phenylenebis[tetrahydro-5,8-dioxo-1H-[1,2,4]diazaphospholo[1,2-a]pyridazine-2,1,3(3H)-triyl]]tetrakis- (9CI)
 (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



RETABLE

Referenced Author (RAU)	Year (RPY)	VOL (RVL)	PG (RPG)	Referenced Work (RWK)	Referenced File
Clark, R	2003	C59	M144	ACTA CRYSTALLOGRAPHI	HCAPLUS
Kwok, T	1993	12	1954	ORGANOMETALLICS	HCAPLUS
Nozaki, K	1997	119	4413	JOURNAL OF THE AMERI	HCAPLUS
Reetz, M	2003			US2003171608 A1	HCAPLUS
The Penn State Research	2003			WO--03042135 A	HCAPLUS
Zhang, X	2003			US2003040629 A1	
Zhang, X	2003			US2003144137 A1	HCAPLUS
Zhang, X	2004			US2004072680 A1	
Zhang, X	2004			US2004229846 A1	

L39 ANSWER (2 OF 12) HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2005:1084713 HCAPLUS

DN 144:36155

TI A highly enantioselective catalyst for asymmetric hydroformylation of [2.2.1]-bicyclic olefins


AU Huang, Jinkun; Bunel, Emilio; Allgeier, Alan; Tedrow, Jason; Storz, Thomas; Preston, J.; Correll, Tiffany; Manley, Deana; Soukup, Troy; Jensen, Randy; Syed, Rashid; Moniz, George; Larsen, Robert; Martinelli, Michael; Reider, Paul J.

CS Chemical Process Research & Development, Amgen Inc., Thousand Oaks, CA, 91320, USA

SO Tetrahedron Letters (2005), 46(45), 7831-7834
CODEN: TELEAY; ISSN: 0040-4039


PB Elsevier B.V.
 DT Journal
 LA English
 AB Rh(CO)₂(acac)/TangPhos was found to be a highly enantioselective catalyst for asym. hydroformylation of norbornylene under mild conditions. Application of the protocol to the desymmetrization of other [2.2.1]-bicyclic olefins gave moderate to excellent enantioselectivity (55-92% ee).
 CC 24-7 (Alicyclic Compounds)
 Section cross-reference(s): 28
 IT Cycloalkenes
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (bicyclic; rhodium-catalyzed asym. hydroformylation of [2.2.1]-bicyclic olefins using TangPhos ligand)
 IT Hydroformylation
 Hydroformylation catalysts
 (stereoselective; rhodium-catalyzed asym. hydroformylation of [2.2.1]-bicyclic olefins using TangPhos ligand)
 IT 136705-65-2 136735-95-0 136779-26-5 136779-27-6 136779-28-7
 RL: CAT (Catalyst use); USES (Uses)
 (rhodium-catalyzed asym. hydroformylation of [2.2.1]-bicyclic olefins using TangPhos and related ligands)
 IT 14874-82-9, Rhodium dicarbonyl acetylacetonate 752258-19-8
 RL: CAT (Catalyst use); USES (Uses)
 (rhodium-catalyzed asym. hydroformylation of [2.2.1]-bicyclic olefins using TangPhos ligand)
 IT 100-42-5, Styrene, reactions 129-64-6 498-66-8, Norbornylene 2746-19-2 7213-65-2 39203-22-0 49675-21-0
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (rhodium-catalyzed asym. hydroformylation of [2.2.1]-bicyclic olefins using TangPhos ligand)
 IT 136705-65-2 136735-95-0 136779-28-7
 RL: CAT (Catalyst use); USES (Uses)
 (rhodium-catalyzed asym. hydroformylation of [2.2.1]-bicyclic olefins using TangPhos and related ligands)
 RN 136705-65-2 HCAPLUS
 CN Phospholane, 1,1'-(1,2-phenylene)bis[2,5-bis(1-methylethyl)-, (2R,2'R,5R,5'R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




RN 136735-95-0 HCAPLUS
 CN Phospholane, 1,1'-(1,2-phenylene)bis[2,5-dimethyl-, (2S,2'S,5S,5'S)-(9CI)
 (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




RN 136779-28-7 HCAPLUS
 CN Phospholane, 1,1'-(1,2-phenylene)bis[2,5-diethyl-, (2S,2'S,5S,5'S)- (9CI)
 (CA INDEX NAME)


Absolute stereochemistry.



IT 14874-82-9, Rhodium dicarbonyl acetylacetonate
 RL: CAT (Catalyst use); USES (Uses)
 (rhodium-catalyzed asym. hydroformylation of [2.2.1]-bicyclic olefins
 using TangPhos ligand)
 RN 14874-82-9 HCAPLUS
 CN Rhodium, dicarbonyl(2,4-pentanedionato- κ O, κ O')-, (SP-4-2)-
 (9CI) (CA INDEX NAME)



IT 498-66-8, Norbornylene
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (rhodium-catalyzed asym. hydroformylation of [2.2.1]-bicyclic olefins
 using TangPhos ligand)
 RN 498-66-8 HCAPLUS
 CN Bicyclo[2.2.1]hept-2-ene (9CI) (CA INDEX NAME)



RETABLE

Referenced Author (RAU)	Year (RPY)	VOL (RVL)	PG (RPG)	Referenced Work (RWK)	Referenced File
Agbossou, F	1995	95	2485	Chem Rev	HCAPLUS
Clark, T	2005	127	5040	J Am Chem Soc	HCAPLUS
Consiglio, G	1991	10	2046	Organometallics	HCAPLUS
Gladiali, S	1995	6	1453	Tetrahedron:Asymmetr	HCAPLUS
Koser, G	2001	34	89	Aldrichim Acta	HCAPLUS
Koser, G	1977	42	1476	J Org Chem	HCAPLUS
Lu, S	2000	63	531	Catal Today	HCAPLUS
Luna, A	2002	124	12098	J Am Chem Soc	
Luna, A	2002	67	3522	J Org Chem	HCAPLUS
Nozaki, K	2001	343	61	Adv Synth Catal	HCAPLUS
Nozaki, K	2000		429	Catalytic Asymmetric	HCAPLUS
Nozaki, K	1997	119	3313	J Am Chem Soc	
Nozaki, K	1998	120	4051	J Am Chem Soc	HCAPLUS
Parrinello, G	1987	109	7122	J Am Chem Soc	HCAPLUS
Parrinello, G	1986	51	4189	J Org Chem	HCAPLUS
Sakai, S	1993	115	7033	J Am Chem Soc	
Tang, W	2002	41	1612	Angew Chem, Int Ed	HCAPLUS

L39 ANSWER 3 OF 12 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2005:1056265 HCAPLUS

DN 143:477689

TI Highly regio- and enantioselective asymmetric hydroformylation of olefins mediated by 2,5-disubstituted phospholane ligands

AU Axtell, Alex T.; Cobley, Christopher J.; Klosin, Jerzy; Whiteker, Gregory T.; Zanotti-Gerosa, Antonio; Abboud, Khalil A.

CS Chemical Sciences, The Dow Chemical Company, Midland, MI, 48674, USA

SO Angewandte Chemie, International Edition (2005), 44(36), 5834-5838

CODEN: ACIEF5; ISSN: 1433-7851

PB Wiley-VCH Verlag GmbH & Co. KGaA

DT Journal

LA English

OS CASREACT 143:477689

AB The com. available ligand (R,R)-1,2-bis(2,5-diphenylphospholano)ethane [(R,R)-Ph-bpe] has been identified as an excellent ligand for asym. hydroformylation. State-of-the-art regio- and enantioselectivities are obtained for reactions with styrene, allyl cyanide, and vinyl acetate as substrates while high reaction rates (> 4000 turnovers h⁻¹) are maintained.

CC 25-15 (Benzene, Its Derivatives, and Condensed Benzenoid Compounds)
Section cross-reference(s): 23

IT Alkenes, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(regio- and stereoselective hydroformylation of olefins mediated by 2,5-disubstituted phospholane ligands)

IT Hydroformylation

Hydroformylation catalysts


(regioselective; regio- and stereoselective hydroformylation of olefins mediated by 2,5-disubstituted phospholane ligands)

IT Hydroformylation

Hydroformylation catalysts


(stereoselective; regio- and stereoselective hydroformylation of olefins mediated by 2,5-disubstituted phospholane ligands)

- IT 14874-82-9, Dicarboxylrhodium acetylacetonate 136705-63-0
 136705-64-1, (R,R)Ethyl-duphos 136779-27-6 137151-97-4
 147253-67-6, (R,R)Methyl-duphos 147253-69-8
 149646-83-3, (R,R)-Chiraphite 149917-85-1, (R,S)-Binaphos 224057-13-0
 268541-06-6 528565-79-9 528854-34-4 729572-33-2, (S,S)-Kelliphite
 849950-54-5 851770-14-4
 RL: CAT (Catalyst use); USES (Uses)
 (regio- and stereoselective hydroformylation of olefins mediated by
 2,5-disubstituted phospholane ligands)
- IT 14874-82-9, Dicarboxylrhodium acetylacetonate 136705-64-1
 , (R,R)Ethyl-duphos 147253-67-6, (R,R)Methyl-duphos
 147253-69-8 851770-14-4
 RL: CAT (Catalyst use); USES (Uses)
 (regio- and stereoselective hydroformylation of olefins mediated by
 2,5-disubstituted phospholane ligands)
- RN 14874-82-9 HCAPLUS
 CN Rhodium, dicarbonyl(2,4-pentanedionato- κ O, κ O')-, (SP-4-2)-
 (9CI) (CA INDEX NAME)




- RN 136705-64-1 HCAPLUS
 CN Phospholane, 1,1'-(1,2-phenylene)bis[2,5-diethyl-, (2R,2'R,5R,5'R)- (9CI)
 (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



- RN 147253-67-6 HCAPLUS
 CN Phospholane, 1,1'-(1,2-phenylene)bis[2,5-dimethyl-, [2R-
 [1(2'R*,5'R*),2 α ,5 β]]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 147253-69-8 HCAPLUS

CN Phospholane, 1,1'-(1,2-phenylene)bis[2,5-bis(1-methylethyl)-,
[2S-[1(2'R*,5'R*),2 α ,5 β]]-(9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 851770-14-4 HCAPLUS


CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1S,3S)-tetrahydro-5,8-dioxo-1H-[1,2,4]diazaphospholo[1,2-a]pyridazine-2,1,3(3H)-triy]]tetrakis[N-[(1S)-1-phenylethyl]]-(9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A



PAGE 3-A




RETABLE

Referenced Author (RAU)	Year (RPY)	VOL (RVL)	PG (RPG)	Referenced Work (RWK)	Referenced File
Babin, J	1993			WO---9303839	HCAPLUS
Berens, U	2000	112	2057	Angew Chem	
Berens, U	2000	39	1981	Angew Chem Int Ed	HCAPLUS
Breeden, S	2000	112	4272	Angew Chem	
Breeden, S	2000	39	4106	Angew Chem Int Ed	HCAPLUS
Burk, M	2000	33	363	Acc Chem Res	HCAPLUS
Burk, M	1993	115	10125	J Am Chem Soc	HCAPLUS
Cambridge Crystallograp				www.ccdc.cam.ac.uk/d	
Clark, T	2005	127	5040	J Am Chem Soc	HCAPLUS
Claver, C	2000			Rhodium Catalyzed Hy	
Cobley, C	2004	69	4031	J Org Chem	HCAPLUS
Cobley, C	2004	6	3277	Org Lett	HCAPLUS
Cobley, C	2003	7	407	Org Process Res Dev	HCAPLUS
Dieguez, M	2001	7	3086	Chem Eur J	HCAPLUS
Dieguez, M	2004	15	2113	Tetrahedron:Asymmetr	HCAPLUS
Ernst, M	1989	28	1624	Inorg Chem	HCAPLUS
Marinetti, A	1999	12	1975	Synlett	
Moloy, K	1995	117	7696	J Am Chem Soc	HCAPLUS
Mukerjee, S	1988	27	81	Inorg Chem	HCAPLUS
Nozaki, K	1997	119	4413	J Am Chem Soc	HCAPLUS
Pilkington, C	2003	5	1273	Org Lett	HCAPLUS
Stille, J	1991	4	913	Comprehensive Organi	
Tang, W	2003	103	3029	Chem Rev	HCAPLUS
van Leeuwen, P	2000		63	Rhodium Catalyzed Hy	HCAPLUS
van Rooy, A	1995	14	34	Organometallics	HCAPLUS
Whiteker, G	2003	89	359	Chemical Industries	HCAPLUS

L39 ANSWER 4 OF 12 HCAPLUS COPYRIGHT 2006 ACS on STN
 AN 2005:409532 HCAPLUS
 DN 142:463874
 TI Preparation of diazaphosphacycles and their use in transition metal catalyzed organic synthesis
 IN Landis, Clark R.; Jin, Wiechang; Owen, Jonathan S.; Clark, Thomas P.; Nelson, Ryan C.
 PA Wisconsin Alumni Research Foundation, USA
 SO PCT Int. Appl., 130 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO2005042546	A2	20050512	2004WO-US25420	20040806
	WO2005042546	A3	20050901		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	US2005202507	A1	20050915	2004US-0914048	20040806
PRAI	2003US-492879P	P	20030806		
OS	MARPAT 142:463874				
GI					



I

AB Preparation of diazaphosphacycles I (W = aryl, cycloalkyl, heterocyclyl, etc.; T = alkoxycarbonyl, aminocarbonyl, alkoxyaminocarbonyl (un)substituted oxazole, etc.; R1 = (un)substituted aryl, alkyl, alkenyl, cycloalkyl, ferrocenyl, etc.; R14, R15 = H, (un)substituted alkyl, cycloalkyl, aryl, etc.; R14R15 = ring) and their salts are provided. Transition metal catalysts incorporating such diazaphosphacycles and methods of use thereof are also disclosed. There are further provided compns. comprising diazaphosphacycles covalently attached to a solid support and methods of use thereof.


IC ICM C07F

CC 29-7 (Organometallic and Organometalloidal Compounds)
 Section cross-reference(s): 21, 34

IT Alkenes, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)

- (dehydrogenation; preparation of diazaphosphacycles and their use in transition metal catalyzed organic synthesis)
- IT Cross-coupling reaction catalysts
Cyclopropanation catalysts
Dehydrogenation catalysts
Hydroboration catalysts
Hydrocyanation catalysts
Hydroformylation catalysts
Hydrosilylation catalysts
Organic synthesis
Solid phase synthesis supports
(preparation of diazaphosphacycles and their use in transition metal catalyzed organic synthesis)
- IT 381721-79-5P 381721-81-9P 381721-85-3P 381721-87-5P 381721-92-2P
381721-98-8P
RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic preparation);
PREP (Preparation); USES (Uses)
(crystal structure; preparation of diazaphosphacycles and their use in transition metal catalyzed organic synthesis)
- IT 12012-95-2 12257-42-0 12266-92-1 35138-22-8
RL: CAT (Catalyst use); RCT (Reactant); RACT (Reactant or reagent); USES (Uses)
(preparation of diazaphosphacycles and their use in transition metal catalyzed organic synthesis)
- IT 381721-65-9P 381721-66-0P 381721-67-1P 381721-71-7P 381721-73-9P
381721-75-1P 381721-76-2P 381721-88-6P 381721-90-0P 381721-94-4P
381721-96-6P 381722-00-5P 381722-02-7P 381722-04-9P
494837-78-4P 494837-79-5P 494837-80-8P 494837-83-1P 494837-84-2P
494837-86-4P 494837-87-5P 494837-89-7P 495401-05-3P 495401-06-4P
495401-07-5P 615257-74-4P 615257-75-5P 615257-76-6P 615257-77-7P
615257-78-8P 615257-79-9P 615257-80-2P 615257-81-3P 615257-82-4P
615257-83-5P 615257-84-6P 615257-85-7P 615257-86-8P 615257-87-9P
615538-60-8P 615538-61-9P 615538-62-0P 615538-63-1P 615538-64-2P
615538-65-3P 851519-22-7P 851519-23-8P 851519-24-9P 851673-55-7P
RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation);
USES (Uses)
(preparation of diazaphosphacycles and their use in transition metal catalyzed organic synthesis)
- IT 381721-98-8P
RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic preparation);
PREP (Preparation); USES (Uses)
(crystal structure; preparation of diazaphosphacycles and their use in transition metal catalyzed organic synthesis)
- RN 381721-98-8 HCAPLUS
- CN 1,2,4-Diazaphospholidine, 4,4'-(1,2-phenylene)bis[3,5-diphenyl-,
(3R,3'R,5R,5'R)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.



- IT 12257-42-0
RL: CAT (Catalyst use); RCT (Reactant); RACT (Reactant or reagent); USES

(Uses)

(preparation of diazaphosphacycles and their use in transition metal catalyzed organic synthesis)

RN 12257-42-0 HCAPLUS

CN Rhodium, bis[(2,3,5,6-η)-bicyclo[2.2.1]hepta-2,5-diene]di-μ-chlorodi- (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

IT 381722-00-5P

RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation);


USES (Uses)

(preparation of diazaphosphacycles and their use in transition metal catalyzed organic synthesis)

RN 381722-00-5 HCAPLUS

CN 1H-[1,2,4]Diazaphospholo[1,2-b]phthalazine-5,10-dione, 2,2'-(1,2-phenylene)bis[2,3-dihydro-1,3-diphenyl-, (1R,1'R,3R,3'R)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.



L39 ANSWER 5 OF 12 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2005:241626 HCAPLUS

DN 142:463810

TI Highly Active, Regioselective, and Enantioselective Hydroformylation with Rh Catalysts Ligated by Bis-3,4-diazaphospholanes

AU Clark, Thomas P.; Landis, Clark R.; Freed, Susan L.; Klosin, Jerzy; Abboud, Khalil A.

CS Department of Chemistry, University of Wisconsin-Madison, Madison, WI, 53706, USA

SO Journal of the American Chemical Society (2005), 127(14), 5040-5042
CODEN: JACSAT; ISSN: 0002-7863

PB American Chemical Society

DT Journal

LA English


OS CASREACT 142:463810

AB Azines made by the reaction of hydrazine with ortho-formylbenzoic acid react with 1,2-diphosphinobenzene and either succinyl chloride or phthaloyl chloride in ca. 30% yield to give rac-bis-3,4-diazaphospholanes bearing benzoic acid groups in the 2 and 5 positions. Condensation of the benzoic acid functionalities with enantiomerically pure amines affords diastereomeric benzoamides which can be separated by flash chromatog. The crystal structure of a representative compound is reported. Application of the resolved bis-3,4-diazaphospholanes to Rh-catalyzed enantioselective hydroformylation of styrene, allyl cyanide, and vinyl acetate under mild pressures (20-500 psig of CO/H₂) and temps. (40-120 °C) reveals high activities and selectivities for all three substrates. At 60 °C and 500 psig syn gas, the best ligand provides outstanding regio- and enantioselectivities (styrene, 89% ee, b:l = 30:1; allyl cyanide, 87% ee, b:l = 4.8:1; vinyl acetate, 95% ee, b:l = 40:1) while


- achieving turnover frequencies of ca. 3000 h⁻¹.
- CC 29-7 (Organometallic and Organometalloidal Compounds)
Section cross-reference(s): 28, 67, 75
- IT Alkenes, reactions
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation and structure of chiral bis(diazaphospholane) ligands for use in rhodium-catalyzed regioselective and stereoselective hydroformylation of alkenes)
- IT Hydroformylation
Hydroformylation catalysts
(regioselective, stereoselective; preparation and structure of chiral bis(diazaphospholane) ligands for use in rhodium-catalyzed regioselective and stereoselective hydroformylation of alkenes)
- IT 851770-18-8P
RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
(crystal structure; preparation and structure of chiral bis(diazaphospholane) ligands for use in rhodium-catalyzed regioselective and stereoselective hydroformylation of alkenes)
- IT 851770-14-4P
RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)
(mol. structure; preparation and structure of chiral bis(diazaphospholane) ligands for use in rhodium-catalyzed regioselective and stereoselective hydroformylation of alkenes)
- IT 14874-82-9 149646-83-3 149917-85-1 615257-74-4 729572-33-2
RL: CAT (Catalyst use); USES (Uses)
(preparation and structure of chiral bis(diazaphospholane) ligands for use in rhodium-catalyzed regioselective and stereoselective hydroformylation of alkenes)
- IT 851609-32-0P 851609-33-1P 851609-34-2P
851609-35-3P 851609-36-4P 851770-13-3P
851770-15-5P 851770-16-6P 851770-17-7P
RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)
(preparation and structure of chiral bis(diazaphospholane) ligands for use in rhodium-catalyzed regioselective and stereoselective hydroformylation of alkenes)
- IT 851609-30-8P 851609-31-9P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and structure of chiral bis(diazaphospholane) ligands for use in rhodium-catalyzed regioselective and stereoselective hydroformylation of alkenes)
- IT 851770-18-8P
RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
(crystal structure; preparation and structure of chiral bis(diazaphospholane) ligands for use in rhodium-catalyzed regioselective and stereoselective hydroformylation of alkenes)
- RN 851770-18-8 HCAPLUS
- CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1S,3S)-tetrahydro-5,8-dioxo-1H-[1,2,4]diazaphospholo[1,2-a]pyridazine-2,1,3(3H)-triy]]tetrakis[N-[(1S)-1-phenylethyl]-, compd. with 2-propanone (1:7) (9CI) (CA INDEX NAME)
- CM 1
- CRN 851770-14-4
- CMF C78 H72 N8 O8 P2

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A




PAGE 3-A



CM 2

CRN 67-64-1
CMF C3 H6 O



IT 851770-14-4P

RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic preparation);

PREP (Preparation); USES (Uses)


(mol. structure; preparation and structure of chiral bis(diazaphospholane) ligands for use in rhodium-catalyzed regioselective and stereoselective hydroformylation of alkenes)

RN 851770-14-4 HCAPLUS


CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1S,3S)-tetrahydro-5,8-dioxo-1H-[1,2,4]diazaphospholo[1,2-a]pyridazine-2,1,3(3H)-triyl]]tetrakis[N-[(1S)-1-phenylethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A



PAGE 3-A




IT 14874-82-9

RL: CAT (Catalyst use); USES (Uses)

(preparation and structure of chiral bis(diazaphospholane) ligands for use in rhodium-catalyzed regioselective and stereoselective hydroformylation of alkenes)

RN 14874-82-9 HCAPLUS

CN Rhodium, dicarbonyl(2,4-pentanedionato-κO,κO')-, (SP-4-2)-
(9CI) (CA INDEX NAME)



IT 851609-32-0P 851609-33-1P 851609-34-2P

851609-35-3P 851609-36-4P 851770-13-3P

851770-15-5P 851770-16-6P 851770-17-7P

RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation);
USES (Uses)


(preparation and structure of chiral bis(diazaphospholane) ligands for use in rhodium-catalyzed regioselective and stereoselective hydroformylation of alkenes)

RN 851609-32-0 HCAPLUS


CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1R,3R)-5,10-dihydro-5,10-dioxo-1H-[1,2,4]diazaphospholo[1,2-b]phthalazine-2,1,3(3H)-triy]]tetrakis[N-[(1S)-1-phenylethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A



PAGE 3-A




RN 851609-33-1 HCAPLUS


CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1R,3R)-tetrahydro-5,8-dioxo-1H-[1,2,4]diazaphospholo[1,2-a]pyridazine-2,1,3(3H)-triy]]tetrakis[N-[(1S)-1-phenylethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A



PAGE 3-A





RN 851609-34-2 HCAPLUS


CN L-Alanine, N,N',N'',N'''-[1,2-phenylenebis[(1R,3R)-5,10-dihydro-5,10-dioxo-1H-[1,2,4]diazaphospholo[1,2-b]phthalazine-2,1,3(3H)-triyl]bis(2,1-phenylenecarbonyl)]tetrakis-, tetramethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A





PAGE 3-A




Absolute stereochemistry.


PAGE 1-A




PAGE 2-A



PAGE 3-A



PAGE 4-A





RN 851609-36-4 HCAPLUS


CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1R,3R)-tetrahydro-5,8-dioxo-1H-[1,2,4]diazaphospholo[1,2-a]pyridazine-2,1,3(3H)-triy]]tetrakis[N-[(1S)-1-(1-naphthalenyl)ethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



PAGE 1-A



PAGE 2-A




PAGE 3-A




RN 851770-13-3 HCAPLUS
 CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1S,3S)-5,10-dihydro-5,10-dioxo-1H-[1,2,4]diazaphospholo[1,2-b]phthalazine-2,1,3(3H)-triyl]]tetrakis[N-[(1S)-1-phenylethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A



PAGE 3-A





RN 851770-15-5 HCAPLUS


CN L-Alanine, N,N',N'',N'''-[1,2-phenylenebis[[[(1S,3S)-5,10-dihydro-5,10-dioxo-1H-[1,2,4]diazaphospholo[1,2-b]phthalazine-2,1,3(3H)-triyl]bis(2,1-phenylenecarbonyl)]]tetrakis-, tetramethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A





PAGE 3-A




CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1S,3S)-5,10-dihydro-5,10-dioxo-1H-[1,2,4]diazaphospholo[1,2-b]phthalazine-2,1,3(3H)-triyl]]tetrakis[N-[(1S)-1-(1-naphthalenyl)ethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A




PAGE 2-A



PAGE 3-A



PAGE 4-A





RN 851770-17-7 HCAPLUS


CN Benzamide, 2,2',2'',2'''-[1,2-phenylenebis[(1S,3S)-tetrahydro-5,8-dioxo-1H-[1,2,4]diazaphospholo[1,2-a]pyridazine-2,1,3(3H)-triy]]tetrakis[N-[(1S)-1-(1-naphthalenyl)ethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



PAGE 1-A



PAGE 2-A



PAGE 3-A



IT 851609-30-8P 851609-31-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)


(preparation and structure of chiral bis(diazaphospholane) ligands for use in rhodium-catalyzed regioselective and stereoselective hydroformylation of alkenes)

RN 851609-30-8 HCAPLUS


CN Benzoic acid, 2,2',2'',2'''-[1,2-phenylenebis[(1R,3R)-5,10-dihydro-5,10-dioxo-1H-[1,2,4]diazaphospholo[1,2-b]phthalazine-2,1,3(3H)-triyl]]tetrakis-, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

PAGE 1-A



PAGE 2-A




RN 851609-31-9 HCAPLUS


CN Benzoic acid, 2,2',2'',2'''-[1,2-phenylenebis[(1R,3R)-tetrahydro-5,8-dioxo-1H-[1,2,4]diazaphospholo[1,2-a]pyridazine-2,1,3(3H)-triyl]]tetrakis-, rel-(9CI) (CA INDEX NAME)

Relative stereochemistry.


PAGE 1-A



PAGE 2-A



PAGE 3-A



RETABLE

Referenced Author (RAU)	Year (RPY)	VOL (RVL)	PG (RPG)	Referenced Work (RWK)	Referenced File
=====	=====	=====	=====	=====	=====
Anon	1974	Vol I	55	International Tables	
Babin, J	1992			WO---9303830	HCAPLUS
Breeden, S	2000	39	4106	Angew Chem, Int Ed	HCAPLUS
Clark, T	2003	125	11792	J Am Chem Soc	HCAPLUS
Clark, T	2003	125	11792	J Am Chem Soc	HCAPLUS
Claver, C	2000			Rhodium Catalyzed Hy	
Cobley, C	2004	69	4031	J Org Chem	HCAPLUS
Cobley, C	2004	6	3277	Org Lett	HCAPLUS
Dieguez, M	2001	7	3086	Chem-Eur J	HCAPLUS
Landis, C	2001	40	3432	Angew Chem, Int Ed	HCAPLUS
Landis, C	2004	101	5428	Proc Natl Acad Sci U	HCAPLUS
Nozaki, K	1997	119	4413	J Am Chem Soc	HCAPLUS
Sheldrick, G	2000			Crystallogric softwa	
Spek, A	1990	A46	C-34	Acta Cryst	
Tang, W	2003	103	3029	Chem Rev	HCAPLUS
van der Sluis, P	1990	A46	194	Acta Cryst	HCAPLUS
Whiteker, G	2003		359	Catalysis of Organic	HCAPLUS


L39 ANSWER 6 OF 12 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2004:756724 HCAPLUS


DN 141:260889

TI Axially chiral nonracemic phosphites and phosphoramidites having
1,1'-biphenyl-2,2'-diol skeletons and their use in catalytic asymmetric
hydrogenation, hydroformylation and addition reactions
IN Ojima, Iwao; Takai, Masaki; Takahashi, Takayoshi
PA Mitsubishi Chemical Corporation, Japan; The Research Foundation of State
University of New York
SO PCT Int. Appl., 70 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO2004078766	A1	20040916	2003WO-US05790	20030227
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW:				
	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	AU2003219901	A1	20040928	2003AU-0219901	20030227
	WO2004076464	A2	20040910	2004WO-US03367	20040227
	WO2004076464	A3	20041216		
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI				
	RW:				
	BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRAI	2003WO-US05790	A	20030227		
OS	MARPAT 141:260889				
GI					



I



II

AB Novel monodentate configurationally stable axially chiral phosphites and phosphoramidites [(R)- or (S)-I; X1 = OY1, NY2Y3; Y1, Y2, Y3 = (un)substituted alkyl, (un)substituted aryl, (un)substituted heteroaryl, Y2-Y3 may form a ring; R1, R2 = H, (un)substituted secondary or tertiary C3-20 hydrocarbyl; R2, R6 = H, (un)substituted C1-20 alkyl, (un)substituted C1-10 alkoxy, (un)substituted aryl, halogen; R3, R7 = (un)substituted C1-20 hydrocarbyl, (un)substituted C1-10 alkoxy; R4, R8 = C1-4 hydrocarbyl, halogen, C1-4 alkoxy], bidentate phosphites and phosphoramidites [(R)- or (S)-II; X2, X3 = OY4, OY5, resp., or X2X3 =

(NY4Y5)2; Y4, Y5 = (un)substituted alkyl, aryl heteroaryl, Y4-Y5 may form a ring; same R1-R8], preferably I and II with R4 = R8 = Me, are claimed. Also claimed are optically active catalysts comprising mixts. of Group 4-12 metal (or its compound) with ligands I and/or II, preferably Group 8-12 metals, and use of these catalysts in asym. hydrogenation, hydroformylation, allylic substitution, hydrosilylation, and Michael addition reactions, which produce optically active compds. from prochiral precursors. In an example, asym. hydrogenation of di-Me itaconate, catalyzed by composition of 0.1 mol % of [Rh(COD)2]SbF6 (COD = 1,5-cyclooctadiene) and 0.2 mol % of monophosphite (S)-I [X1 = (1S,2R)-2-phenylcyclohexyloxy, R1 = R5 = tBu, R3 = R4 = R7 = R8 = Me, R2 = R6 = H] (preparation given) at 100 psi of H2 at 50° for 20 h affords (R)-di-Me 2-methylsuccinate with 100% conversion and 99.6% ee; the same reaction with use of (S)-I (X1 = OPh, R1 = R2 = R5 = R6 = H, R3 = R4 = R7 = R8 = Me, preparation given) gave (S)-di-Me 2-methylsuccinate with 100% conversion and 96.5% ee. In several further examples, composition of [Rh(COD)(OAc)]2 and (S)-I (X1 = NMe2, R1 = R3 = R5 = R7 = tBu, R4 = R8 = Me, R2 = R6 = H; Rh:ligand = 1:2) catalyzed asym. hydroformylation of styrene (0.1 mol% of Rh), affording, after oxidation, (R)-2-phenylpropanoic acid with 70.1% ee; composition of Cu(II) triflate and (S)-I [Cu:ligand = 1:2, X1 = OPh, R1 = R5 = tBu, R3 = R4 = R7 = R8 = Me, R2 = R6 = H] catalyzed asym. Michael addition of Et2Zn to 2-cyclohexenone affording (S)-3-methylcyclohexanone with 35% ee.

IC ICM C07F-0007/02

ICS C07F-0009/141; C07F-0009/06; C07C-0047/00; C07C-0047/02;
C07C-0049/00; C07C-0049/04; C07C-0069/00; C07C-0069/003; C07C-0069/12

CC 29-7 (Organometallic and Organometalloidal Compounds)

Section cross-reference(s): 21, 45

IT Ligands

RL: CAT (Catalyst use); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(bidentate, axially chiral; preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)

IT Hydroformylation catalysts

Hydrogenation catalysts

Hydrosilylation catalysts

Michael reaction catalysts

(stereoselective, axially chiral; preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)

IT 80-62-6, Methyl methacrylate 98-83-9, α -Methylstyrene, reactions 100-42-5, Styrene, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(asym. hydroformylation; preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)

IT 617-52-7, Dimethyl itaconate

RL: RCT (Reactant); RACT (Reactant or reagent)

(asym. hydrogenation; preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)

IT 12097-36-8 14874-82-9, (Acetylacetonato)dicarbonylrhodium 130296-28-5

RL: CAT (Catalyst use); USES (Uses)

(preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)


IT 7440-16-6DP, Rhodium, complex with chiral menthyl binaphthyl phosphite

RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)


(preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation,

Michael addition and allylic alkylation catalysts)


- IT 98-83-9, α -Methylstyrene, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (asym. hydroformylation; preparation of axially chiral nonracemic mono- and
 diphosphite and phosphoramidite ligands for asym. hydrogenation,
 hydroformylation, Michael addition and allylic alkylation catalysts)
 RN 98-83-9 HCAPLUS
 CN Benzene, (1-methylethenyl)- (9CI) (CA INDEX NAME)



- IT 617-52-7, Dimethyl itaconate
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (asym. hydrogenation; preparation of axially chiral nonracemic mono- and
 diphosphite and phosphoramidite ligands for asym. hydrogenation,
 hydroformylation, Michael addition and allylic alkylation catalysts)
 RN 617-52-7 HCAPLUS
 CN Butanedioic acid, methylene-, dimethyl ester (9CI) (CA INDEX NAME)



- IT 14874-82-9, (Acetylacetonato)dicarbonylrhodium
 RL: CAT (Catalyst use); USES (Uses)
 (preparation of axially chiral nonracemic mono- and diphosphite and
 phosphoramidite ligands for asym. hydrogenation, hydroformylation,
 Michael addition and allylic alkylation catalysts)
 RN 14874-82-9 HCAPLUS
 CN Rhodium, dicarbonyl(2,4-pentanedionato- $\kappa\text{O}, \kappa\text{O}'$)-, (SP-4-2)-
 (9CI) (CA INDEX NAME)



- IT 7440-16-6DP, Rhodium, complex with chiral menthyl binaphthyl
 phosphite
 RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation);
 USES (Uses)
 (preparation of axially chiral nonracemic mono- and diphosphite and
 phosphoramidite ligands for asym. hydrogenation, hydroformylation,
 Michael addition and allylic alkylation catalysts)
 RN 7440-16-6 HCAPLUS
 CN Rhodium (8CI, 9CI) (CA INDEX NAME)

Rh

RETABLE

Referenced Author (RAU)	Year (RPY)	VOL (RVL)	PG (RPG)	Referenced Work (RWK)	Referenced File
----------------------------	---------------	--------------	-------------	--------------------------	--------------------

Author	Year	US	HCAPLUS
Argyropoulos	1999	US---5952530 A	HCAPLUS
Boyles	2001	WO2001021580	HCAPLUS
Shapiro, R	1997	US---5696280 A	HCAPLUS
Urata	1999	US---5910600 A	HCAPLUS
Wada	2000	JP2000053688	HCAPLUS
Zhang, X	2002	WO2002040491	HCAPLUS

L39 ANSWER 7 OF 12 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2004:749336 HCAPLUS

DN 141:243687

TI Axially chiral nonracemic phosphites and phosphoramidites having 1,1'-biphenyl-2,2'-diol skeletons and their use in catalytic asymmetric hydrogenation, hydroformylation and addition reactions

IN Ojima, Iwao; Takai, Masaki; Takahashi, Takayoshi; Urata, Hisao

PA Mitsubishi Chemical Corporation, Japan; The Research Foundation of State University of New York

SO PCT Int. Appl., 83 pp.

CODEN: PIXXD2

DT Patent

LA English


FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO2004076464	A2	20040910	2004WO-US03367	20040227
	WO2004076464	A3	20041216		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI				
RW:	BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	WO2004078766	A1	20040916	WO 2003-US305790	20030227
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				


PRAI 2003WO-US05790 A 20030227

OS MARPAT 141:243687

GI



I



II

- AB** Novel monodentate configurationally stable axially chiral phosphites and phosphoramidites [(R)- or (S)-I; X1 = OY1, NY2Y3; Y1, Y2, Y3 = (un)substituted alkyl, (un)substituted aryl, (un)substituted heteroaryl, Y2-Y3 may form a ring; R1, R2 = H, (un)substituted secondary or tertiary C3-20 hydrocarbyl; R2, R6 = H, (un)substituted C1-20 alkyl, (un)substituted C1-10 alkoxy, (un)substituted aryl, halogen; R3, R7 = (un)substituted C1-20 hydrocarbyl, (un)substituted C1-10 alkoxy; R4, R8 = C1-4 hydrocarbyl, halogen, C1-4 alkoxy], bidentate phosphites and phosphoramidites [(R)- or (S)-II; X2, X3 = OY4, OY5, resp., or X2X3 = (NY4Y5)2; Y4, Y5 = (un)substituted alkyl, aryl heteroaryl, Y4-Y5 may form a ring; same R1-R8], preferably I and II with R4 = R8 = Me, are claimed. Also claimed are optically active catalysts comprising mixts. of Group 4-12 metal (or its compound) with ligands I and/or II, preferably Group 8-12 metals, and use of these catalysts in asym. hydrogenation, hydroformylation, allylic substitution, hydrosilylation, and Michael addition reactions, which produce optically active compds. from prochiral precursors. In an example, asym. hydrogenation of di-Me itaconate, catalyzed by composition of 0.1 mol % of [Rh(COD)2]SbF6 (COD = 1,5-cyclooctadiene) and 0.2 mol % of monophosphite (S)-I [X1 = (1S,2R)-2-phenylcyclohexyloxy, R1 = R5 = tBu, R3 = R4 = R7 = R8 = Me, R2 = R6 = H] (preparation given) at 100 psi of H2 at 50° for 20 h affords (R)-di-Me 2-methylsuccinate with 100% conversion and 99.6% ee; the same reaction with use of (S)-I (X1 = OPh, R1 = R2 = R5 = R6 = H, R3 = R4 = R7 = R8 = Me, preparation given) gave (S)-di-Me 2-methylsuccinate with 100% conversion and 96.5% ee. In several further examples, composition of [Rh(COD)(OAc)]2 and (S)-I (X1 = NMe2, R1 = R3 = R5 = R7 = tBu, R4 = R8 = Me, R2 = R6 = H; Rh:ligand = 1:2) catalyzed asym. hydroformylation of styrene (0.1 mol% of Rh), affording, after oxidation, (R)-2-phenylpropanoic acid with 70.1% ee; (S)-3-methyl-4-oxobutanenitrile was obtained with 96% regioselectivity and 80% ee by asym hydroformylation of 3-butenenitrile; composition of Cu(II) triflate and (S)-I [Cu:ligand = 1:2, X1 = N[(R)-CHMePh]2, R1 = R3 = R4 = R5 = R7 = R8 = Me, R2 = R6 = H] catalyzed asym. Michael addition of Et2Zn to 2-cycloheptenone affording (S)-3-methylcycloheptanone with 97.5% ee.
- IC** ICM C07F
- CC** 29-7 (Organometallic and Organometalloidal Compounds)
Section cross-reference(s): 21, 45
- IT** **Ligands**
RL: CAT (Catalyst use); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(bidentate, axially chiral; preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)
- IT** **Hydroformylation catalysts**
Hydrogenation catalysts
Hydrosilylation catalysts
Michael reaction catalysts
(stereoselective, axially chiral; preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)
- IT** 557-20-0, Diethylzinc 930-30-3, 2-Cyclopenten-1-one 930-68-7, 2-Cyclohexen-1-one 1121-66-0, 2-Cyclohepten-1-one
RL: RCT (Reactant); RACT (Reactant or reagent)
(asym. Michael addition; preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)
- IT** 80-62-6, Methyl methacrylate 98-83-9, α -Methylstyrene, reactions 100-42-5, Styrene, reactions 109-75-1, Allyl cyanide
RL: RCT (Reactant); RACT (Reactant or reagent)
(asym. hydroformylation; preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)
- IT** 80-59-1, Tiglic acid 617-52-7, Dimethyl itaconate 35356-70-8,

Methyl 2-acetamidoacrylate

RL: RCT (Reactant); RACT (Reactant or reagent)

(asym. hydrogenation; preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)

IT 12097-36-8 14874-82-9, (Acetylacetonato)dicarbonylrhodium
130296-28-5

RL: CAT (Catalyst use); USES (Uses)

(preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)

IT 7440-16-6DP, Rhodium, complex with chiral menthyl binaphthyl
phosphiteRL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation);
USES (Uses)

(preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)


IT 930-30-3, 2-Cyclopenten-1-one

RL: RCT (Reactant); RACT (Reactant or reagent)

(asym. Michael addition; preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)

RN 930-30-3 HCAPLUS

CN 2-Cyclopenten-1-one (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)


IT 98-83-9, α -Methylstyrene, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(asym. hydroformylation; preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)

RN 98-83-9 HCAPLUS

CN Benzene, (1-methylethenyl)- (9CI) (CA INDEX NAME)




IT 617-52-7, Dimethyl itaconate

RL: RCT (Reactant); RACT (Reactant or reagent)

(asym. hydrogenation; preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)

RN 617-52-7 HCAPLUS

CN Butanedioic acid, methylene-, dimethyl ester (9CI) (CA INDEX NAME)




IT 14874-82-9, (Acetylacetonato)dicarbonylrhodium

RL: CAT (Catalyst use); USES (Uses)

(preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)

RN 14874-82-9 HCAPLUS

CN Rhodium, dicarbonyl(2,4-pentanedionato- κ O, κ O')-, (SP-4-2)-
(9CI) (CA INDEX NAME)



IT 7440-16-6DP, Rhodium, complex with chiral menthyl binaphthyl phosphite
RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation);
USES (Uses)

(preparation of axially chiral nonracemic mono- and diphosphite and phosphoramidite ligands for asym. hydrogenation, hydroformylation, Michael addition and allylic alkylation catalysts)

RN 7440-16-6 HCAPLUS

CN Rhodium (8CI, 9CI) (CA INDEX NAME)

Rh

L39 ANSWER 8 OF 12 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2004:307296 HCAPLUS

DN 140:321521

TI Preparation of 1-pnicogena-2-oxanorbornene compounds as cocatalysts for transition metal catalyzed hydroformylation reaction

PA BASF AG, Germany

SO Ger. Offen., 25 pp.


CODEN: GWXXBX

DT Patent

LA German

FAN.CNT 1


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE--10246035	A1	20040415	2002DE-1046035	20021002 <--
PRAI	2002DE-1046035		20021002 <--		
OS	CASREACT 140:321521; MARPAT 140:321521				
GI					




AB The present invention concerns the preparation of compds., which contains at least one 1-pnicogena-2-oxabicyclo[2.2.1]heptene structural element, useful as cocatalysts, for transition metal catalyzed hydroformylation reaction. Thus, hetero-Diels-Alder reaction of 3,4-dimethyl-1-

phenylphosphole with benzaldehyde in xylene at 150° for 2 h gave title compound I. The Rh(CO)₂(acac)/I catalyzed-hydroformylation of 1-octene is also described.

- IC ICM C07F-0009/655
ICS C07F-0009/80; C07F-0009/90; B01J-0031/22; C07C-0045/50
- CC 29-7 (Organometallic and Organometalloidal Compounds)
Section cross-reference(s): 23, 67
- IT **Hydroformylation catalysts**
(preparation of pnicoxanorbornene compds. as cocatalysts for transition metal catalyzed alkene hydroformylation)
- IT **Alkenes, reactions**
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of pnicoxanorbornene compds. as cocatalysts for transition metal catalyzed alkene hydroformylation)
- IT 14874-82-9, (Acetylacetonato)dicarbonylrhodium
RL: CAT (Catalyst use); USES (Uses)
(preparation of pnicoxanorbornene compds. as cocatalysts for transition metal catalyzed alkene hydroformylation)
- IT 100-52-7, Benzaldehyde, reactions 111-66-0, 1-Octene 123-11-5, 4-Methoxybenzaldehyde, reactions 459-57-4, 4-Fluorobenzaldehyde 623-27-8, 1,4-Benzenedicarboxaldehyde 1162-70-5, 1,2,5-Triphenylphosphole 13381-22-1, 2,2'-Dilithiodiphenyl ether 30540-36-4, 3,4-Dimethyl-1-phenylphosphole 63762-32-3, 2,5-Dilithiofuran 115076-24-9, 1-Cyano-3,4-Dimethylphosphole 187885-04-7, 3,4-Dimethyl-1-(2-pyridyl)phosphole 210532-76-6, 1-(2-Bromophenyl)-3,4-dimethylphosphole 678188-51-7
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of pnicoxanorbornene compds. as cocatalysts for transition metal catalyzed alkene hydroformylation)
- IT 678188-46-0P 678188-47-1P 678188-48-2P 678188-49-3P 678188-50-6P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of pnicoxanorbornene compds. as cocatalysts for transition metal catalyzed alkene hydroformylation)
- IT 14874-82-9, (Acetylacetonato)dicarbonylrhodium
RL: CAT (Catalyst use); USES (Uses)
(preparation of pnicoxanorbornene compds. as cocatalysts for transition metal catalyzed alkene hydroformylation)
- RN 14874-82-9 HCAPLUS
- CN Rhodium, dicarbonyl(2,4-pentanedionato-κO,κO')-, (SP-4-2)-(9CI) (CA INDEX NAME)



- IT 111-66-0, 1-Octene
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of pnicoxanorbornene compds. as cocatalysts for transition metal catalyzed alkene hydroformylation)
- RN 111-66-0 HCAPLUS
- CN 1-Octene (8CI, 9CI) (CA INDEX NAME)




- IT 678188-48-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)
(preparation of pnictogenaoxanorbornene compds. as cocatalysts for transition
metal catalyzed alkene hydroformylation)

RN 678188-48-2 HCAPLUS

CN 1H-Phosphole, 1,1'-(1,2-phenylene)bis[3,4-dimethyl- (9CI) (CA INDEX NAME)



L39 ANSWER 9 OF 12 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2003:818434 HCAPLUS

DN 139:307895

TI Preparation of bisphosphines as bidentate ligands and their use as
cocatalysts for asymmetric reactions

IN Boerner, Armin; Holz, Jens; Monsees, Axel; Riermeier, Thomas; Kadyrov,
Renat; Schneider, Carsten A.; Dingerdissen, Uwe; Drauz, Karlheinz

PA Degussa A.-G., Germany

SO PCT Int. Appl., 45 pp.


CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO2003084971	A1	20031016	2003WO-EP02162	20030303 <--
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	CA---2481037	AA	20031016	2003CA-2481037	20030303 <--
	AU2003212297	A1	20031020	2003AU-0212297	20030303 <--
	DE--10309356	A1	20031120	2003DE-1009356	20030303 <--
	EP---1490379	A1	20041229	2003EP-0708169	20030303 <--
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
	BR2003008970	A	20050111	2003BR-0008970	20030303 <--
	CN---1646547	A	20050727	2003CN-0807555	20030303 <--
	JP2005529868	T2	20051006	2003JP-0582168	20030303 <--
	US2005209455	A1	20050922	2005US-0508537	20050512 <--
PRAI	2002DE-1014988	A	20020404	<--	
	2003WO-EP02162	W	20030303		
OS	CASREACT 139:307895; MARPAT 139:307895				
GI					



I

- AB The present invention relates to the preparation of ligands, I (R1-R4 = independent of each other C1-8 alkyl, C2-8 alkoxyalkyl, C6-18 aryl, C7-19 aralkyl, C3-18 heteroaryl, C4-19 heteroaralkyl, C1-8-alkyl-C6-18-aryl, C1-8-alkyl-C3-18-heteroaryl, C3-8-cycloalkyl, C1-8-alkyl-C3-8-cycloalkyl, C3-8-cycloalkyl-C1-8-alkyl; R1-R2, and/or R3-R4 = C3-5 alkylene bridge mono or polysubstituted with C1-8 alkyl, HO-(C1-8)-alkyl, (C1-8)-alkoxy, (C2-8)-alkoxyalkyl, (C6-18)-aryl, etc.; A = (un)substituted heterocyclic structure), useful as cocatalysts with transition metal catalyzed asym. reactions, is described. Thus, reaction of 2,3-dichloromaleic anhydride with (R,R)-2,5-dimethyl-1-trimethylsilylphospholane (preparation given) gave 2,3-bis[(R,R)-2,5-dimethyl-phospholanyl]maleic anhydride which on treatment with [Rh(COD)2]BF4 in THF gave the catalyst which was used for asym. hydrogenation of unsatd. substrates, e.g. Me acetamidocinnamate.
- IC ICM C07F-0009/50
ICS C07F-0009/6568; C07F-0009/655; C07F-0009/6509; C07F-0009/6506; C07F-0015/00; B01J-0031/24; C07B-0053/00; C07C-0045/00; C07C-0231/18; C07M-0007/00
- CC 29-13 (Organometallic and Organometalloidal Compounds)
Section cross-reference(s): 23
- IT Aldol condensation catalysts
Hydroformylation catalysts
Hydrogenation catalysts
Hydrosilylation catalysts
Rearrangement catalysts
(stereoselective; preparation of bisphosphines as bidentate ligands and their use as cocatalysts for asym. reactions)
- IT 7439-88-5D, Iridium, bisphosphine complexes 7440-02-0D, Nickel, bisphosphine complexes 7440-04-2D, Osmium, bisphosphine complexes 7440-05-3D, Palladium, bisphosphine complexes 7440-06-4D, Platinum, bisphosphine complexes 7440-16-6D, Rhodium, bisphosphine complexes 7440-18-8D, Ruthenium, bisphosphine complexes 7440-48-4D, Cobalt, bisphosphine complexes 7440-50-8D, Copper, bisphosphine complexes 210057-23-1
RL: CAT (Catalyst use); USES (Uses)
(preparation of bisphosphines as bidentate ligands and their use as cocatalysts for asym. reactions)
- IT 617-52-7, Dimethyl itaconate 638-21-1, Phenylphosphine 1122-17-4 15573-38-3, Tris(trimethylsilyl)phosphine 33912-78-6 35138-22-8, Bis(1,5-cyclooctadiene)rhodium(1+) tetrafluoroborate 59624-91-8, Lithium bis(trimethylsilyl)phosphide 72569-96-1 88010-06-4 220224-82-8 245727-69-9 464926-43-0
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of bisphosphines as bidentate ligands and their use as cocatalysts for asym. reactions)
- IT 129647-10-5P 505092-85-3P 505092-86-4P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of bisphosphines as bidentate ligands and their use as cocatalysts for asym. reactions)
- IT 7439-88-5D, Iridium, bisphosphine complexes 7440-02-0D, Nickel, bisphosphine complexes 7440-04-2D, Osmium, bisphosphine complexes 7440-05-3D, Palladium, bisphosphine complexes 7440-06-4D, Platinum, bisphosphine complexes 7440-16-6D, Rhodium, bisphosphine complexes 7440-18-8D, Ruthenium, bisphosphine complexes 7440-48-4D, Cobalt, bisphosphine complexes

RL: CAT (Catalyst use); USES (Uses)
(preparation of bisphosphines as bidentate ligands and their use as
cocatalysts for asym. reactions)

RN 7439-88-5 HCAPLUS
CN Iridium (8CI, 9CI) (CA INDEX NAME)

Ir

RN 7440-02-0 HCAPLUS
CN Nickel (8CI, 9CI) (CA INDEX NAME)

Ni

RN 7440-04-2 HCAPLUS
CN Osmium (8CI, 9CI) (CA INDEX NAME)

Os

RN 7440-05-3 HCAPLUS
CN Palladium (8CI, 9CI) (CA INDEX NAME)

Pd

RN 7440-06-4 HCAPLUS
CN Platinum (8CI, 9CI) (CA INDEX NAME)

Pt

RN 7440-16-6 HCAPLUS
CN Rhodium (8CI, 9CI) (CA INDEX NAME)

Rh

RN 7440-18-8 HCAPLUS
CN Ruthenium (8CI, 9CI) (CA INDEX NAME)


Ru

RN 7440-48-4 HCAPLUS
CN Cobalt (8CI, 9CI) (CA INDEX NAME)

Co

IT 617-52-7, Dimethyl itaconate
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of bisphosphines as bidentate ligands and their use as
cocatalysts for asym. reactions)

RN 617-52-7 HCAPLUS
CN Butanedioic acid, methylene-, dimethyl ester (9CI) (CA INDEX NAME)



IT 505092-86-4P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of bisphosphines as bidentate ligands and their use as cocatalysts for asym. reactions)

RN 505092-86-4 HCAPLUS

CN 2,5-Furandione, 3,4-bis[(2R,5R)-2,5-dimethyl-1-phospholanyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RETABLE

Referenced Author (RAU)	Year (RPY)	VOL (RVL)	PG (RPG)	Referenced Work (RWK)	Referenced File
Holz, J	2003	68	1701	JOURNAL OF ORGANIC C	HCAPLUS
Solvias Ag	2003			WO--03031456 A	HCAPLUS

L39 ANSWER 10 OF 12 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2003:155116 HCAPLUS

DN 138:205227

TI Asymmetric catalysis based on chiral phospholanes

IN Zhang, Xumu

PA The Penn State Research Foundation, USA

SO U.S. Pat. Appl. Publ., 41 pp., Cont.-in-part of U. S. 6,337,406.

CODEN: USXXCO


DT Patent

LA English

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US2003040629	A1	20030227	2001US-0992551	20011106 <--
	US---6727377	B2	20040427		
	US---6337406	B1	20020108	1999US-0377065	19990819 <--
	WO2003040149	A2	20030515	2002WO-US35484	20021106 <--
	WO2003040149	A3	20031030		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW				
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	US2004176618	A1	20040909	2004US-0791320	20040302 <--
	US---6946569	B2	20050920		

PRAI	1998US-097473P	P	19980821	<--
	1999US-0377065	A2	19990819	<--
	1999US-141796P	P	19990630	<--
	2001US-0992551	A	20011106	<--
OS	MARPAT 138:205227			
GI				



AB Chiral phosphine ligands derived from chiral natural products, including D-mannitol and tartaric acid, were prepared. The ligands, e.g. (I) (preparation given), contain one or more 5-membered phospholane rings with multiple chiral centers, and provide high stereoselectivity in asym. reactions. For example, [Rh(COD)₂]PF₆-catalyzed asym. hydrogenation of dehydroamino acid derivs. in the presence of I gave products in up to 99% enantiomeric excess.

IC ICM C07F-0009/653

ICS C07F-0009/547

INCL 548112000; 556404000; 568012000

CC 29-7 (Organometallic and Organometalloidal Compounds)
Section cross-reference(s): 21, 33

IT Alkenes, reactions

Imines

Ketones, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(asym. hydrogenation of; preparation of chiral phospholanes as cocatalysts with transition metals for asym. catalysis of organic reactions)

IT Aldol condensation catalysts

Cyclopropanation catalysts

Diels-Alder reaction catalysts

Hydride transfer catalysts

Hydroboration catalysts

Hydroformylation catalysts

Hydrogenation

Hydrogenation catalysts

Hydrosilylation catalysts

Michael reaction catalysts

(stereoselective; preparation of chiral phospholanes as cocatalysts with transition metals for asym. catalysis of organic reactions)

IT 97-65-4, reactions 617-52-7 5429-56-1 5469-45-4

25957-50-0 35356-70-8 39239-88-8 52386-78-4 68280-85-3

68762-59-4 74839-85-3 92635-04-6 92635-05-7 111649-72-0

132165-60-7 132165-61-8 162555-59-1 171095-23-1 224186-20-3

224186-21-4 259752-09-5 259752-11-9 259752-12-0 259752-13-1

497859-91-3

RL: RCT (Reactant); RACT (Reactant or reagent)

(asym. hydrogenation reaction; preparation of chiral phospholanes as cocatalysts with transition metals for asym. catalysis of organic reactions)

IT 3375-31-3, Palladium (II) acetate 12012-95-2 12092-47-6

12112-67-3 14874-82-9, Dicarboxylacetylacetonato rhodium

(I) 35138-22-8 50982-12-2 51364-51-3 59420-05-2

62793-31-1 99326-34-8 130296-28-5 162412-87-5 436863-50-2

499984-41-7 499984-42-8

RL: CAT (Catalyst use); USES (Uses)

(preparation of chiral phospholanes as cocatalysts with transition metals for asym. catalysis of organic reactions)

IT 248244-33-9P 259752-00-6P

RL: CAT (Catalyst use); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation of chiral phospholanes as cocatalysts with transition metals for asym. catalysis of organic reactions)

IT 215930-44-2P 248244-34-0P 259752-01-7P

259752-06-2P 259752-07-3P 259752-16-4P 259752-17-5P 259752-18-6P

259752-19-7P 259752-20-0P 259752-22-2P 259752-24-4P

259752-26-6P 488760-58-3P 499984-38-2P 499984-39-3P

499984-53-1P 499984-56-4P 499984-71-3P 500000-10-2P

500000-11-3P 500000-12-4P 500000-13-5P 500000-14-6P

500000-15-7P 500000-16-8P 500000-17-9P 500000-18-0P

500000-19-1P 500000-20-4P 500102-04-5P 500102-05-6P

500117-78-2P 500117-79-3P

RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)

(preparation of chiral phospholanes as cocatalysts with transition metals for asym. catalysis of organic reactions)

IT 3969-59-3P 3969-84-4P 53754-41-9P 63700-05-0P 74044-75-0P

159716-51-5P 221022-89-5P 259535-67-6P 259752-03-9P

259752-04-0P 259752-08-4P 495385-02-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of chiral phospholanes as cocatalysts with transition metals for asym. catalysis of organic reactions)


IT 97-65-4, reactions 617-52-7

RL: RCT (Reactant); RACT (Reactant or reagent)

(asym. hydrogenation reaction; preparation of chiral phospholanes as cocatalysts with transition metals for asym. catalysis of organic reactions)


RN 97-65-4 HCAPLUS

CN Butanedioic acid, methylene- (9CI) (CA INDEX NAME)



RN 617-52-7 HCAPLUS

CN Butanedioic acid, methylene-, dimethyl ester (9CI) (CA INDEX NAME)



IT 3375-31-3, Palladium (II) acetate 12092-47-6

12112-67-3 14874-82-9, Dicarboxylacetylacetonato rhodium


(I) 51364-51-3

RL: CAT (Catalyst use); USES (Uses)

(preparation of chiral phospholanes as cocatalysts with transition metals for asym. catalysis of organic reactions)

RN 3375-31-3 HCAPLUS


CN Acetic acid, palladium(2+) salt (8CI, 9CI) (CA INDEX NAME)



● 1/2 Pd(II)


RN 12092-47-6 HCAPLUS

CN Rhodium, di- μ -chlorobis[(1,2,5,6- η)-1,5-cyclooctadiene]di- (9CI)
(CA INDEX NAME)




RN 12112-67-3 HCAPLUS


CN Iridium, di- μ -chlorobis[(1,2,5,6- η)-1,5-cyclooctadiene]di- (9CI)
(CA INDEX NAME)



RN 14874-82-9 HCAPLUS

CN Rhodium, dicarbonyl(2,4-pentanedionato- κ O, κ O')-, (SP-4-2) -
(9CI) (CA INDEX NAME)

RN 51364-51-3 HCAPLUS

CN Palladium, tris[μ -[(1,2- η :4,5- η)-(1E,4E)-1,5-diphenyl-1,4-pentadien-3-one]]di- (9CI) (CA INDEX NAME)


IT 248244-33-9P

RL: CAT (Catalyst use); RCT (Reactant); SPN (Synthetic preparation); PREP
(Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of chiral phospholanes as cocatalysts with transition metals
for asym. catalysis of organic reactions)

RN 248244-33-9 HCAPLUS

CN 5H-Phospholo[3,4-d]-1,3-dioxole, 5,5'-(1,2-phenylene)bis[tetrahydro-
2,2,4,6-tetramethyl-, (3aS,3'aS,4S,4'S,6S,6'S,6aS,6'aS)- (9CI) (CA INDEX
NAME)

Absolute stereochemistry. Rotation (+).



IT 215930-44-2P 248244-34-0P 259752-01-7P

259752-26-6P 500000-10-2P 500000-13-5P

500000-14-6P 500000-18-0P 500000-19-1P

RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation);


USES (Uses)

(preparation of chiral phospholanes as cocatalysts with transition metals for asym. catalysis of organic reactions)

RN 215930-44-2 HCAPLUS

CN Phospholane, 1,1'-(1,2-phenylene)bis[2,5-dimethyl-3,4-bis(phenylmethoxy)-, (2S,2'S,3S,3'S,4S,4'S,5S,5'S) - (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 248244-34-0 HCAPLUS

CN 3,4-Phospholanediol, 1,1'-(1,2-phenylene)bis[2,5-dimethyl-, (2S,2'S,3S,3'S,4S,4'S,5S,5'S) - (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 259752-01-7 HCAPLUS

CN 3,4-Phospholanediol, 1,1'-(1,2-phenylene)bis[2,5-diethyl-,
(2S,2'S,3S,3'S,4S,4'S,5S,5'S) - (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 259752-26-6 HCAPLUS



CN Ethanol, 2,2',2'',2'''-[1,2-phenylenebis[[(2S,3S,4S,5S) -2,5-bis(phenylmethyl)-1,3,4-phospholanetriyl]bis(oxy-2,1-ethanediyl)oxy-2,1-ethanediyl]oxy]]tetrakis- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



PAGE 1-A

PAGE 1-B




RN 500000-10-2 HCAPLUS


CN Ethanol, 2,2',2'',2'''-[1,2-phenylenebis[[(2S,3S,4S,5S)-2,5-dimethyl-1,3,4-phospholanetriyl]bis(oxy-2,1-ethanedioxy)-2,1-ethanedioxy]]]tetrakis-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B



RN 500000-13-5 HCAPLUS

CN Phospholane, 1,1'-(1,2-phenylene)bis[2,5-dimethyl-3,4-bis(phenylmethoxy)-, (2R,2'R,3R,3'R,4R,4'R,5R,5'R) - (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 500000-14-6 HCAPLUS

CN 3,4-Phospholanediol, 1,1'-(1,2-phenylene)bis[2,5-dimethyl-, (2R,2'R,3R,3'R,4R,4'R,5R,5'R) - (9CI) (CA INDEX NAME)


Absolute stereochemistry.






RN 500000-18-0 HCAPLUS

CN Ethanol, 2,2',2'',2'''-[1,2-phenylenebis[[2,3R,4R,5R)-2,5-bis(phenylmethyl)-1,3,4-phospholanetriyl]bis(oxy-2,1-ethanediyl)oxy-2,1-ethanediyl]tetrakis- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




PAGE 1-B



RN 500000-19-1 HCAPLUS

CN 3,4-Phospholane-1,1'-bis(2,5-diethyl-2,3,4-trimethylphospholane-2,5-diyl)bis(2,1-ethanediyl)oxy-2,1-ethanediyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 259752-04-0P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of chiral phospholanes as cocatalysts with transition metals for asym. catalysis of organic reactions)

RN 259752-04-0 HCAPLUS

CN 5H-Phospholo[3,4-d]-1,3-dioxole, 5,5'-(1,2-phenylene)bis[4,6-diethyltetrahydro-2,2-dimethyl-, (3aS,3'aS,4S,4'S,6S,6'S,6aS,6'aS) - (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



L39 ANSWER 11 OF 12 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2001:855302 HCAPLUS

DN 136:247673

TI Synthesis and characterization of {[COD]Rh(bis-(2R,3R)-2,5-diethylphospholanobenzene)]+BARF-} for use in homogeneous catalysis in supercritical carbon dioxide

AU Guzel, Bilgehan; Omary, Mohammad A.; Fackler, John P.; Akgerman, Aydin

CS Laboratory for Molecular Structure and Bonding, Department of Chemistry, Texas A&M University, College Station, TX, 77843-3012, USA

SO Inorganica Chimica Acta (2001), 325(1,2), 45-50

CODEN: ICHAA3; ISSN: 0020-1693

PB Elsevier Science S.A.

DT Journal

LA English

OS CASREACT 136:247673

AB Reaction of [(COD)2Cl2Rh] (COD: cyclo-octadiene) with sodium tetrakis((3,5-trifluoromethyl)phenyl)borate (NaBARF) in the presence of an excess of COD yields [(COD)2Rh]+BARF-. The COD ligands are readily displaced by the bidentate ligand 1,2-bis((2R,5R)-2,5-diethylphosphalono)benzene (Et-DuPHOS) to form [(COD)Rh(Et-DuPHOS)]BARF, the structure of which was determined by x-ray crystallog. BARF was selected

as the counterion in order to achieve solubility in supercrit. carbon dioxide for use in asym. hydrogenation and hydroformylation reactions. D.-functional theory calcns. were used to study the intermediates in asym. hydroformylation of styrene. The energies of the two-enantiomer models differ by 11.3 kcal mol⁻¹.

CC 29-13 (Organometallic and Organometalloidal Compounds)

Section cross-reference(s): 22, 75

IT Hydroformylation catalysts

(stereoselective; preparation of rhodium diethylphospholanobenzene cyclooctadiene trifluoromethylphenylborate for use in homogeneous catalysis in supercrit. carbon dioxide)

IT 111-78-4, Cycloocta-1,5-diene 12092-47-6

393801-74-6

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation and characterization of rhodium diethylphospholanobenzene cyclooctadiene trifluoromethylphenylborate for use in homogeneous catalysis in supercrit. carbon dioxide)

IT 111-78-4, Cycloocta-1,5-diene 12092-47-6


393801-74-6

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation and characterization of rhodium diethylphospholanobenzene cyclooctadiene trifluoromethylphenylborate for use in homogeneous catalysis in supercrit. carbon dioxide)


RN 111-78-4 HCAPLUS

CN 1,5-Cyclooctadiene (6CI, 8CI, 9CI) (CA INDEX NAME)



RN 12092-47-6 HCAPLUS


CN Rhodium, di-μ-chlorobis[(1,2,5,6-η)-1,5-cyclooctadiene]di- (9CI)
(CA INDEX NAME)



RN 393801-74-6 HCAPLUS

CN Phospholane, 1,1'-(1,2-phenylene)bis[2,5-diethyl-, (2R,2'R,5R,5'R)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RETABLE

Referenced Author (RAU)	Year (RPY)	VOL (RVL)	PG (RPG)	Referenced Work (RWK)	Referenced File
=====	=====	=====	=====	=====	=====
Anon	1999			Chemical Synthesis u	
Baiker, A	1999	99	453	Chem Rev	HCAPLUS
Becke, A	1993	98	5648	J Chem Phys	HCAPLUS
Berge, S	1991		416	NMR Spectroscopy of	
Borner, A	2001	42	223	Tetrahedron Lett	HCAPLUS
Brookhart, M	1992	11	3920	Organometallics	HCAPLUS
Burk, M	2000	33	363	Acc Chem Res	HCAPLUS
Burk, M	1993	115	10125	J Am Chem Soc	HCAPLUS
Burk, M	1995	117	8277	J Am Chem Soc	HCAPLUS
Chatt, J	1957		4735	J Am Chem Soc	HCAPLUS
DeSimone, J	1992		357	Science	
Dinjus, E	1996		219	Chemistry under Extr	
Dunbar, K	1995	240	527	Inorg Chim Acta	HCAPLUS
Dunning, T	1976	3	1	Modern Theoretical C	
Elschenbroich, C	1992		434	Organometallics: A C	
Frisch, M	1998			Gaussian 98 (Revisio	
Green, M	1971		2334	J Chem Soc A	HCAPLUS
Harris, R	1978		249	NMR in the Periodic	
Hauptman, E	1994	116	8038	J Am Chem Soc	HCAPLUS
Hay, P	1985	82	270	J Chem Phys	HCAPLUS
Hoveyda, H	1993	93	1307	Chem Rev	
Ikariya, T	2000	4	39	Catal Surv Jpn	HCAPLUS
Jessop, P	1999	99	475	Chem Rev	HCAPLUS
Jessop, P	1995	269	1065	Science	HCAPLUS
Kaupp, G	1994	33	1452	Angew Chem, Int Ed E	
Lee, C	1988	37	785	Phys Rev B	HCAPLUS
Lin, B	2000			PhD Thesis, Texas A&	
Miehlich, B	1989	157	200	Chem Phys Lett	HCAPLUS
Molecular Simulations I	1999			Cerius2, Release 4.0	
Morgenstern, D	1996	626	132	ACS Symp Ser	HCAPLUS
Nishida, H	1984	57	2600	Bull Chem Soc Jpn	HCAPLUS
Nozaki, K	1997	119	4413	J Am Chem Soc	HCAPLUS
Nozaki, K	2000	19	2031	Organometallics	HCAPLUS
Palo, D	1999	38	3786	Ind Eng Chem Res	HCAPLUS
Parr, R	1989			Density-Functional T	
Sakai, N	1993	115	7033	J Am Chem Soc	HCAPLUS
Sakai, N	1994		395	J Chem Soc, Chem Com	HCAPLUS
Schrock, R	1971	93	2397	J Am Chem Soc	

L39 ANSWER 12 OF 12 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 2000:608754 HCAPLUS

DN 133:193276

TI Chiral diazaphospholidine ligands

IN Wills, Martin; Breedon, Simon

PA University of Warwick, UK


SO PCT Int. Appl., 33 pp.

CODEN: PIXXD2


DT Patent
LA English
FAN.CNT 1

Ans 12 12


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO2000050430	A1	20000831	2000WO-GB00538	20000216 <--
	W: JP, US				
	RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	EP---1155024	A1	20011121	2000EP-0903852	20000216 <--
	EP---1155024	B1	20030709		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
	JP2002537400	T2	20021105	2000JP-0601009	20000216 <--
	AT---244721	E	20030715	2000AT-0903852	20000216 <--
	ES---2202053	T3	20040401	2000ES-0903852	20000216 <--
	US---6717011	B1	20040406	2001US-0914144	20011212 <--
PRAI	1999GB-0003973	A	19990223	<--	
	2000GB-0000428	A	20000111	<--	
	2000WO-GB00538	W	20000216	<--	
OS	CASREACT 133:193276; MARPAT 133:193276				
GI					



I



II



III

AB The application relates to diazaphospholidine compds. I and II (A, B = independently selected from C(R22R23) and C(R22R23)C(R24R25); R1, R2, R3, R4, R18, R19, R20, R21, R22, R23, R24, R25 = may or may not be present and each may be independently selected from H, halo, OH, organosulfonyl, SH, NO2, NH2, :O, :S, straight chain, branched chain, cyclic, saturated, non-saturated, substituted or non-substituted alkyl, hydroalkyl, carboalkyl, alkoxy, amino, alkenyl, aryl and CH2Ar (Ar = aryl or substituted aryl), C1-6, Si1-6 silane; R1, R2, R3, R4, R18, R19, R20, R21, R22, R23, R24 and/or R25 group is not present an unsatd. bond is formed; R5, R17 = H, NH2, OH, halo, (un)substituted straight or branched chain alkyl or aryl; R6, R7, R15, R16 = independently selected from halo, OH, SO2, SH, NO2, NH2, straight chain, branched chain, cyclic, saturated, non-saturated, (un)substituted alkyl, carboalkyl, alkoxy, alkenyl, aryl, Si1-6 silane; R8, R14 = H, straight, branched, cyclic, saturated, non-saturated, (un)substituted

IC ICM C07F-0009/6584

Section cross-reference(s): 21, 35

(asym.; preparation of chiral diazaphospholidine ligand as cocatalyst for rhodium catalyzed asym. hydroformylation reaction)

RL: RCT (Reactant); RACT (Reactant or reagent)

IT 289622-37-3P 289622-38-4P

IT 51364-51-3, Tris(dibenzylideneacetone)dipalladium

```

    (preparation of chiral diazaphospholidine ligand as cocatalyst for palladium
    catalyzed allylic substitution reaction)

```

```

RL: CAT (Catalyst use); USES (Uses)

```

(preparation of chiral diazaphospholidine ligand as cocatalyst for rhodium catalyzed asym. hydroformylation reaction)

RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation);

(preparation as asym. cocatalyst for organic reactions)

CN 1H-Pyrrolo[1,2-c][1,3,2]diazaphosphole, 1,1'-(1,2-phenylene)bis[hexahydro-2-phenyl-, (3aS,3'aS)-(9CI) (CA INDEX NAME)


```

RL: CAT (Catalyst use); USES (Uses)

```

(preparation of chiral diazaphospholidine ligand as cocatalyst for palladium catalyzed allylic substitution reaction)

CN Palladium, tris[μ -[(1,2- η :4,5- η)-(1E,4E)-1,5-diphenyl-1,4-pentadien-3-one]]di- (9CI) (CA INDEX NAME)




IT 14874-82-9

RL: CAT (Catalyst use); USES (Uses)

(preparation of chiral diazaphospholidine ligand as cocatalyst for rhodium catalyzed asym. hydroformylation reaction)

RN 14874-82-9 HCAPLUS

CN Rhodium, dicarbonyl(2,4-pentanedionato-κO,κO')-, (SP-4-2)-
(9CI) (CA INDEX NAME)

RETABLE

Referenced Author (RAU)	Year (RPY)	VOL (RVL)	PG (RPG)	Referenced Work (RWK)	Referenced File
Brunel, J	1997	529	285	JOURNAL OF ORGANOMET	
Brunel, J	1998	39	2961	TETRAHEDRON LETTERS	HCAPLUS
Muchow, G	1998	54	10435	TETRAHEDRON	HCAPLUS

=> => b casre

FILE 'CASREACT' ENTERED AT 16:16:10 ON 10 AUG 2006

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 6 Aug 2006 VOL 145 ISS 6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

*
 * CASREACT now has more than 10 million reactions *
 *

Some CASREACT records are derived from the ZIC/VINITI database (1974-1991) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance identification.

```
=> d que sta l40
L40          STR
RRT          RRT          RRT
P---C---C---P      C---C      M 7
1  2  3  4        5  6
```

NODE ATTRIBUTES:

```
NSPEC  IS R      AT  1
NSPEC  IS R      AT  4
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED
```

GRAPH ATTRIBUTES:


```
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS  7
```

STEREO ATTRIBUTES: NONE

=> d bib abs crd l42 tot

L42 ANSWER 1 OF 1 CASREACT COPYRIGHT 2006 ACS on STN
 AN 143:60867 CASREACT
 TI Chiral Palladium(0) trans-Stilbene Complexes: Synthesis, Structure, and
 Oxidative Addition of Phenyl Iodide
 AU Brunner, Tim J.; Blank, Natalia F.; Moncarz, Jillian R.; Scriban, Corina;
 Anderson, Brian J.; Glueck, David S.; Zakharov, Lev N.; Golen, James A.;
 Sommer, Roger D.; Incarvito, Christopher D.; Rheingold, Arnold L.
 CS 6128 Burke Laboratory, Department of Chemistry, Dartmouth College,
 Hanover, NH, 03755, USA
 SO Organometallics (2005), 24(11), 2730-2746
 CODEN: ORGND7; ISSN: 0276-7333
 PB American Chemical Society
 DT Journal
 LA English
 AB The chiral Pd(0) trans-stilbene complexes Pd(diphos*)(trans-stilbene)
 (diphos* = (R,R)-Me-Duphos, (R,R)-Et-Duphos, (R,R)-i-Pr-Duphos,
 (R,R)-Me-BPE, (S,S)-Me-FerrolANE, (S,S)-Me-DuXantphos, (S,S)-Et-FerrolTANE,
 (R,S)-CyPF-t-Bu, (R,S)-PPF-t-Bu, (R,S)-BoPhoz) and Ni((R,R)-Me-
 Duphos)(trans-stilbene) were prepared by NaBH(OMe)₃ reduction of the
 corresponding M(diphos*)Cl₂ compds. in the presence of trans-stilbene.
 The rate of oxidative addition of PhI to the stilbene complexes, which gave
 Pd(diphos*)(Ph)(I), depended on the ligand (larger for increased ligand
 bite angles and reduced steric bulk) and was markedly faster than
 oxidative addition to mixts. of Pd(dba)₂ and diphos*. The complexes
 Pd(diphos*)(Ph)(I) were prepared independently by treatment of PdL₂(Ph)(I)
 (L₂ = TMEDA, (PPh₃)₂) with diphos*. Oxidative addition of PhI to the
 complexes M((R,R)-Me-Duphos)(trans-stilbene) occurred in the rate order Pd
 > Ni » Pt. The complexes Pd(diphos*)(trans-stilbene), Pd(diphos*)(trans-
 stilbene), and Pd(diphos*)(Ph)(I), as well as some analogous Ni compds.,
 were structurally characterized by x-ray crystallog.

RX(51) OF 79 - 2 STEPS




NOTE: 2) stereoselective, diastereomer ratio 7.8:1, 35% yield

CON: STEP(1) 1 hour, room temperature

STEP(2) 1 hour, room temperature

RX(52) OF 79 - 2 STEPS




NOTE: 2) stereoselective, diastereomer ratio 38:1, 60% yield

CON: STEP(1) 1 hour, room temperature


STEP(2) 1 hour, room temperature

RX(70) OF 79 - 2 STEPS




CON: STEP(1.1) 15 hours, room temperature
STEP(2) 1.5 hours, room temperature

RX(72) OF 79 - 3 STEPS



NOTE: 2) stereoselective, diastereomer ratio 7.8:1, 35% yield, 3)
 NMR-scale experiment, product not isolated
 CON: STEP(1) 1 hour, room temperature
 STEP(2) 1 hour, room temperature
 STEP(3) 3 hours, room temperature

RX(73) OF 79 - 3 STEPS



NOTE: 2) stereoselective, diastereomer ratio 38:1, 60% yield, 3)
 NMR-scale experiment, product not isolated
 CON: STEP(1) 1 hour, room temperature
 STEP(2) 1 hour, room temperature
 STEP(3) 9 hours, room temperature

RE.CNT 77 THERE ARE 77 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d his

(FILE 'HOME' ENTERED AT 15:41:52 ON 10 AUG 2006)

FILE 'HCAPLUS' ENTERED AT 15:41:58 ON 10 AUG 2006

L1 1 US2004167362/PN OR (US2003-670105 OR EP2002-256696)/AP, PRN
 E DRENT E/AU
 L2 316 E3-6
 E GINKEL R/AU
 L3 1 E4
 E VAN GINKEL R/AU
 L4 13 E3, E9
 E JAGER W/AU
 L5 83 E3, E9
 E JAGER WILLEM/AU
 L6 38 E4-8
 L7 4537 (SHELL OIL)/CS, PA

FILE 'REGISTRY' ENTERED AT 15:52:55 ON 10 AUG 2006

FILE 'HCAPLUS' ENTERED AT 15:52:55 ON 10 AUG 2006

L8 TRA L1 1- RN : 17 TERMS

FILE 'REGISTRY' ENTERED AT 15:52:55 ON 10 AUG 2006

L9 17 SEA L8
L10 6 L9 AND P/ELS
L11 STR
L12 5 L11
L13 179 L11 FULL
SAV TEM LAO105/A L13
L14 4 L13 AND L9

FILE 'HCAPLUS' ENTERED AT 15:57:52 ON 10 AUG 2006

L15 290 L13
E ALKENES/CT
L16 197017 E3+OLD,NT (L) RACT+NT/RL
E E3+ALL
E ALKENES,/CT
L17 26487 ALKENES/CW (L) RACT+NT/RL
L18 87 L16-17 AND L15
E LIGANDS/CT
E E3+ALL
L19 33 E1+NT (L) BIDENTAT? (L) DIPHOSPH?
L20 10 L16-17 AND L19
L21 96 L18,L20
E HYDROFORMYLATION/CT
L22 2889 E3-9
L23 2889 E3+OLD,NT
E E12
E E3+ALL
L24 4610 E4+OLD
E HYDROFORMYLATION ENTHALPY/CT
L25 7 E3+OLD,NT
L26 416 HYDROFORMYLATION KINETICS+OLD,NT/CT
L27 18 L21 AND L22-26
L28 4 L27 AND L1-7
L29 14 L27 NOT L28
E GROUP VIII ELEMENTS/CT
E E3+ALL
L30 5 E6+NT AND L27
L31 13 E69+OLD,NT AND L27
L32 15 L30-31
L33 3 L32 AND L1-7
L34 12 L32 NOT L33
E CATALYSTS/CT
L35 4443 E3+OLD,NT (L) HYDROFORMYL?
L36 18 L35 AND L21
L37 0 L36 NOT L27
L38 5 L34 AND (PY<=2002 OR AY<=2002 OR PRY<=2002)
L39 12 L34,L38

FILE 'CASREACT' ENTERED AT 16:12:39 ON 10 AUG 2006

L40 STR L11
L41 0 L40
L42 1 L40 FULL

=>